

Datasheet: AHP1148

Description:RABBIT ANTI Trpv2 (N-TERMINAL)Specificity:TRPV2 (N-TERMINAL)Other names:TRANSIENT RECEPTOR POTENTIAL CATION CHANNEL SUBFAMILY V MEMBER 2Format:PurifiedProduct Type:Polyclonal AntibodyIsotype:Polyclonal IgGQuantity:50 μg		
Other names: TRANSIENT RECEPTOR POTENTIAL CATION CHANNEL SUBFAMILY V MEMBER 2 Format: Purified Product Type: Polyclonal Antibody Isotype: Polyclonal IgG	Description:	RABBIT ANTI Trpv2 (N-TERMINAL)
MEMBER 2 Format: Purified Product Type: Polyclonal Antibody Isotype: Polyclonal IgG	Specificity:	TRPV2 (N-TERMINAL)
Product Type: Polyclonal Antibody Isotype: Polyclonal IgG	Other names:	
Isotype: Polyclonal IgG	Format:	Purified
	Product Type:	Polyclonal Antibody
Quantity: 50 μg	Isotype:	Polyclonal IgG
	Quantity:	50 µg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen				
Immunohistology - Paraffin (1)	•			10ug/ml
ELISA				
Immunoprecipitation				
Western Blotting				
Functional Assays			•	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1)This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. Sodium citrate buffer pH 6.0 is recommended for this purpose.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid

Antiserum Preparation	Antisera to human Trpv2 were raised by repeated immunisations of rabbit with highly purified antigen. Purified IgG prepared by affinity chromatography.				
Buffer Solution	Phosphate buffered saline				
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)				
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml				
Immunogen	Synthetic, KLH-conjugated human Trpv2 N-terminal.				
External Database Links	UniProt: Q9Y5S1 Related reagents Entrez Gene: 51393 TRPV2 Related reagents				
Synonyms	VRL				
RRID	AB_2209263				
Specificity	Rabbit anti Human Trpv2 antibody recognizes transient recechannel, subfamily V, member 2 (Trpv2). Trpv2 is an ~86 kDa, channel protein. It is involved in the transduction of high-temporatures. Trpv2 is activated by temperatures above 52°C and it regulated by IGF-I, platelet derived growth factor and neurope is expressed in skin, tongue, dorsal root ganglion, trigeminal grain.	non selective calcium erature heat responses in s thought to be partly ptide head activator. Trpv2			
Histology Positive Control Tissue	Human dorsal root ganglion.				
References	1. Caterina, M.J. <i>et al.</i> (1999) A capsaicin-receptor homologue noxious heat. Nature. 398 (6726): 436-41. 2. Xu, H. <i>et al.</i> (2002) TRPV3 is a calcium-permeable tempera channel. Nature. 418 (6894): 181-6.	-			
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freez denature the antibody. Should this product contain a precipitat microcentrifugation before use.	•			
Guarantee	18 months from date of despatch.				
Health And Safety	Material Safety Datasheet documentation #10040 available at				

Information 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) FITC

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Sheep Anti Rabbit IgG (STAR35...) RPE

Sheep Anti Rabbit IgG (STAR36...) DyLight®488, DyLight®680, DyLight®800

Recommended Useful Reagents

<u>HISTAR DETECTION SYSTEM (STAR3000A)</u>

<u>ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025A)</u>

100x ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025C)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M338825:181217'

Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint