

Datasheet: AHP1170

Description:	RABBIT ANTI BAG1 (C-TERMINAL)
Specificity:	BAG1 (C-TERMINAL)
Other names:	Bcl-2-ASSOCIATED ATHANOGENE
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting	▪			1 - 2ug/ml

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	<p>Reacts with: Rat, Mouse</p> <p>N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.</p>
Product Form	Purified IgG - liquid
Antiserum Preparation	Antisera to BAG1 were raised by repeated immunisations of rabbits with highly purified antigen. Purified IgG prepared by affinity chromatography.
Buffer Solution	Phosphate buffered saline

Preservative Stabilisers	0.02% Sodium Azide
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	14 amino acid peptide from near the carboxy terminus of human BAG1.
External Database Links	<p>UniProt: Q99933 Related reagents</p> <p>Entrez Gene: 573 BAG1 Related reagents</p>
Synonyms	HAP
RRID	AB_844579
Specificity	<p>Rabbit anti Human BAG1 antibody recognizes the C-terminal (CT) region of Bcl-2 associated athanogene-1 (BAG1), a co-chaperone protein which binds to and regulates the 70 kDa heat shock proteins (Hsp70/Hsc70). BAG1 has also been shown to interact with the kinase Raf1, a number of steroid and tyrosine kinase receptors, and the Bcl-2 family of proteins. It is thought to function as a molecular switch between cell growth and differentiation, and cell survival.</p> <p>The BAG1 gene encodes three different isoforms; a predominantly cytosolic form of ~36 kDa (BAG1S), a ~46 kDa cytosolic and nuclear form (BAG1M), and a predominantly nuclear form ~50 kD (BAG1L).</p> <p>BAG1 displays potent neuroprotective activity <i>in vivo</i> against stroke, and could be used for reducing brain injury during cerebral ischemia and neurodegenerative diseases (Kermer et al. 2003). BAG1 may also promote chemoresistance, growth factor independence, and anchorage independent cell growth in tumour cells.</p>
Western Blotting	AHP1170 detects a band of approximately 39kDa in PC-3 cell lysate.
Further Reading	<ol style="list-style-type: none"> 1. Götz, R. <i>et al.</i> (2005) Bag1 is essential for differentiation and survival of hematopoietic and neuronal cells. Nat Neurosci. 8 (9): 1169-78. 2. Liman, J. <i>et al.</i> (2005) Interaction of BAG1 and Hsp70 mediates neuroprotectivity and increases chaperone activity. Mol Cell Biol. 25 (9): 3715-25. 3. Krajewska, M. <i>et al.</i> (2006) Expression of BAG-1 protein correlates with aggressive behavior of prostate cancers. Prostate. 66 (8): 801-10. 4. Clemo, N.K. <i>et al.</i> (2005) The role of the retinoblastoma protein (Rb) in the nuclear localization of BAG-1: implications for colorectal tumour cell survival. Biochem Soc Trans. 33 (Pt 4): 676-8.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at

-20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/AHP1170 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) [FITC](#)
Sheep Anti Rabbit IgG (STAR35...) [RPE](#)
Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)
Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)

Recommended Useful Reagents

[TidyBlot WESTERN BLOT DETECTION REAGENT:HRP \(STAR209P\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M381645:210512'

Printed on 12 Aug 2023