

Datasheet: AHP1180T BATCH NUMBER 158461

Description:	RABBIT ANTI IRF7 (C-TERMINAL)
Specificity:	IRF7 (C-TERMINAL)
Other names:	INTERFERON REGULATORY FACTOR 7
Format:	Purified
Product Type:	Polyclonal Antibody
lsotype:	Polyclonal IgG
Quantity:	50 µg

Product Details

Applications	This product has been re derived from testing with communications from the information. For general rad-antibodies.com/proto	in our labo e originato protocol r	oratories, ors. Please	peer-reviewed publica e refer to references in	tions or personal ndicated for further
		Yes	No	Not Determined	Suggested Dilution
	Flow Cytometry			•	0.0000000000000000000000000000000000000
	Immunohistology - Frozen				
	Immunohistology - Paraffin				
	ELISA			•	
	Immunoprecipitation			•	
	Western Blotting	-			1.0 - 2.0ug/ml
Target Species	necessarily exclude its us a guide only. It is recomn system using appropriate Human	nended th	at the use	er titrates the antibody	
Species Cross Reactivity Product Form	Reacts with: Mouse, Rat N.B. Antibody reactivity a reactivity is derived from personal communications further information. Purified IgG - liquid	and workin testing w	ithin our la	aboratories, peer-revie	wed publications or
Antiserum Prepara	tion Antisera to human IRF7	were raise	ed by repe	eated immunisations o	f rabbits with highly

purified antigen. Purified IgG prepared by affinity chromatography.

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.02% Sodium Azide
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	14 amino acid peptide sequence near the carboxy terminus of human IRF7.
External Database Links	UniProt: <u>Q92985</u> <u>Related reagents</u> Entrez Gene: <u>3665</u> IRF7 <u>Related reagents</u>
RRID	AB_2127547
Specificity	Rabbit anti IRF7 antibody detects an epitope within the C-terminal (CT) of human interferon regulatory factor 7 (IRF7), a ~54 kDa transcriptional activator of type I interferons (IFNalpha/beta) in response to local and systemic viral infection. IRF7 is mostly expressed by plasmacytoid dendritic cells (pDC), which differentiate in response to IFNs and virus infection. This then stabilizes the IRF7 protein, in turn leading to increased IFN production.
	Multiple IRF7 transcript variants have been identified.
Western Blotting	AHP1180 detects a band of approximately 51kDa in 293 whole cell lysate.
References	 Rautela, J. <i>et al.</i> (2015) Loss of Host Type-I IFN Signaling Accelerates Metastasis and Impairs NK-cell Antitumor Function in Multiple Models of Breast Cancer. <u>Cancer Immunol</u> <u>Res. 3 (11): 1207-17.</u> Saitoh, S.I. <i>et al.</i> (2017) TLR7 mediated viral recognition results in focal type I interferon secretion by dendritic cells. <u>Nat Commun. 8 (1): 1592.</u>
Further Reading	
Ū	 Ning, S. <i>et al.</i> (2005) Regulation of the transcriptional activity of the IRF7 promoter by a pathway independent of interferon signaling. <u>J Biol Chem. 280 (13): 12262-70.</u> Prakash, A. & Levy, D.E. (2006) Regulation of IRF7 through cell type-specific protein stability. <u>Biochem Biophys Res Commun. 342 (1): 50-6.</u>
Storage	pathway independent of interferon signaling. <u>J Biol Chem. 280 (13): 12262-70.</u> 2. Prakash, A. & Levy, D.E. (2006) Regulation of IRF7 through cell type-specific protein
	 pathway independent of interferon signaling. J Biol Chem. 280 (13): 12262-70. 2. Prakash, A. & Levy, D.E. (2006) Regulation of IRF7 through cell type-specific protein stability. Biochem Biophys Res Commun. 342 (1): 50-6. This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for

Informati	on j				eet documentation #1 bodies.com/SDS/AH	e at:	
Regulato	ry l	or resea	irch pur	poses	only		
Relate	d Products						
Recomn	nended Seco	ndary A	Antibo	dies			
Sheep A	nti Rabbit IgG	STAR34)	<u>FITC</u>			
Goat Ant	i Rabbit IgG (F	c) (STAF	R121)	<u>Biotin</u>	, <u>FITC,</u> <u>HRP</u>		
oour / an			``	DDE			
	nti Rabbit IgG	STAR35)	<u>RPE</u>			
Sheep A	nti Rabbit IgG i Rabbit IgG (H	•					
Sheep Ai Goat Ant	•	/L) (STA 6) <u>HRP</u>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint