

Datasheet: AHP1281 BATCH NUMBER 150477

| Description: | RABBIT ANTI HUMAN INSULIN-LIKE GROWTH FACTOR I |
|---------------|--|
| Specificity: | IGF-I |
| Other names: | INSULIN-LIKE GROWTH FACTOR I |
| Format: | Purified |
| Product Type: | Polyclonal Antibody |
| Isotype: | Polyclonal IgG |
| Quantity: | 0.1 mg |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|--------------------------------|-----|----|----------------|--------------------|
| Flow Cytometry | | | | |
| Immunohistology - Frozen | | | | |
| Immunohistology - Paraffin (1) | • | | | 0.25ug/ml |
| ELISA | • | | | 0.5 - 2.0ug/ml |
| Immunoprecipitation | | | • | |
| Western Blotting | • | | | 0.1 - 0.2ug/ml |
| Functional Assays | • | | | 0.67 - 1.0ug/ml |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1)This antibody does not require antigen retrieval for use with formalin-fixed, paraffin-embedded sections.

| Target Species | Human |
|----------------|--|
| Product Form | Purified IgG - Iyophilised |
| Reconstitution | Reconstitute with 0.1ml distilled water. For long term storage the addition of 0.09% sodium azide is recommended. NB: For functional studies do not add azide. |

Antiserum Preparation Antisera to human IGF-I were raised by repeated immunisations of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.

| Buffer Solution | Phosphate buffered saline |
|-----------------------------------|---|
| Preservative Stabilisers | None present |
| Carrier Free | Yes |
| Approx. Protein Concentrations | IgG concentration 1.0mg/ml after reconstitution |
| Immunogen | Recombinant human IGF-I |
| External Database Links | UniProt: P05019 Related reagents Entrez Gene: |
| | 3479 IGF1 Related reagents |
| Synonyms | IBP1 |
| RRID | AB_2122111 |
| Specificity | Rabbit anti Human insulin-likegGrowth factor I antibody recognizes human IGF-I (Insulin-like Growth Factor I), a 70 amino acid secreted mitogenic polypeptide and member of the insulin gene family, produced primarily by the liver. IGF-I exhibits both autocrine and paracrine properties and has a widespread effect on cells including those of the bone, cartilage, muscle, nerves, skin, liver and lungs, playing a key role in cell proliferation and growth, inhibition of apoptosis and linked with tumour cell growth. IGF-I signals through binding to the type 1 insulin-like growth factor receptor (IGF-1R) and also to the insulin receptor (IR), resulting in the activation of the AKT signalling pathway. Production of IGF-I is stimulated by growth hormone (GH) and can be hindered by GH insensitivity, deficiency in GH receptors or a malfunction in the post GH receptor signalling pathway. |
| ELISA | This purified human IGF-I antibody may be used in an indirect ELISA or as the capture reagent in a sandwich ELISA with our <u>biotinylated human IGF-I antibody</u> (AHP1281B) as the detection reagent and <u>recombinant human IGF-I</u> (PHP177) as the standard. |
| Further Reading | 1. Singer, C.F. <i>et al.</i> (2004) Insulin-like growth factor (IGF)-I and IGF-II serum concentrations in patients with benign and malignant breast lesions: free IGF-II is correlated with breast cancer size. Clin Cancer Res. 10 (12 Pt 1): 4003-9. |
| Storage | Prior to reconstitution store at -20°C. After reconstitution store at -20°C. This product should be stored undiluted. Storage in frost free freezers is not |
| | This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. |

Should this product contain a precipitate we recommend microcentrifugation before use.

| Guarantee | 6 months from date of despatch |
|----------------------------------|--|
| Health And Safety Information | Material Safety Datasheet documentation #10162 available at: https://www.bio-rad-antibodies.com/SDS/AHP1281 10162 |
| Regulatory | For research purposes only |

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) FITC

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Sheep Anti Rabbit IgG (STAR35...) RPE

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Recommended Useful Reagents

TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M372482:200706'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint