

## Datasheet: AHP1281

<b>Description:</b>	RABBIT ANTI HUMAN INSULIN-LIKE GROWTH FACTOR I
<b>Specificity:</b>	IGF-I
<b>Other names:</b>	INSULIN-LIKE GROWTH FACTOR I
<b>Format:</b>	Purified
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin (1)	▪			0.25ug/ml
ELISA	▪			0.5 - 2.0ug/ml
Immunoprecipitation			▪	
Western Blotting	▪			0.1 - 0.2ug/ml
Functional Assays	▪			0.67 - 1.0ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

**(1) This antibody does not require antigen retrieval for use with formalin-fixed, paraffin-embedded sections.**

<b>Target Species</b>	Human
<b>Product Form</b>	Purified IgG - lyophilized
<b>Reconstitution</b>	Reconstitute with 0.1ml distilled water. For long term storage the addition of 0.09% sodium azide is recommended. NB: For functional studies do not add azide.
<b>Antiserum Preparation</b>	Antisera to human IGF-I were raised by repeated immunisations of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.

<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	None present
<b>Carrier Free</b>	Yes
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0mg/ml after reconstitution
<b>Immunogen</b>	<a href="#">Recombinant human IGF-I</a>
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">P05019</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">3479</a>    IGF1    <a href="#">Related reagents</a></p>
<b>Synonyms</b>	IBP1
<b>RRID</b>	AB_2122111
<b>Specificity</b>	<p><b>Rabbit anti Human insulin-like Growth factor I antibody</b> recognizes human IGF-I (Insulin-like Growth Factor I), a 70 amino acid secreted mitogenic polypeptide and member of the insulin gene family, produced primarily by the liver. IGF-I exhibits both autocrine and paracrine properties and has a widespread effect on cells including those of the bone, cartilage, muscle, nerves, skin, liver and lungs, playing a key role in cell proliferation and growth, inhibition of apoptosis and linked with tumour cell growth.</p> <p>IGF-I signals through binding to the type 1 insulin-like growth factor receptor (IGF-1R) and also to the insulin receptor (IR), resulting in the activation of the AKT signalling pathway. Production of IGF-I is stimulated by growth hormone (GH) and can be hindered by GH insensitivity, deficiency in GH receptors or a malfunction in the post GH receptor signalling pathway.</p>
<b>ELISA</b>	This purified human IGF-I antibody may be used in an indirect ELISA or as the capture reagent in a sandwich ELISA with our <a href="#">biotinylated human IGF-I antibody</a> (AHP1281B) as the detection reagent and <a href="#">recombinant human IGF-I</a> (PHP177) as the standard.
<b>Further Reading</b>	1. Singer, C.F. <i>et al.</i> (2004) Insulin-like growth factor (IGF)-I and IGF-II serum concentrations in patients with benign and malignant breast lesions: free IGF-II is correlated with breast cancer size. <a href="#">Clin Cancer Res. 10 (12 Pt 1): 4003-9.</a>
<b>Storage</b>	<p>Prior to reconstitution store at -20°C.  After reconstitution store at -20°C.</p> <p>This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody.</p>

Should this product contain a precipitate we recommend microcentrifugation before use.

---

<b>Guarantee</b>	12 months from date of despatch
------------------	---------------------------------

---

<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10294 available at: <a href="https://www.bio-rad-antibodies.com/SDS/AHP1281">https://www.bio-rad-antibodies.com/SDS/AHP1281</a> 10294
--------------------------------------	--

---

<b>Regulatory</b>	For research purposes only
-------------------	----------------------------

---

## Related Products

### Recommended Secondary Antibodies

- Sheep Anti Rabbit IgG (STAR34...) [FITC](#)
- Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)
- Sheep Anti Rabbit IgG (STAR35...) [RPE](#)
- Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)

### Recommended Useful Reagents

[TidyBlot WESTERN BLOT DETECTION REAGENT:HRP \(STAR209P\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)  
'M402205:220718'

Printed on 18 Jan 2024