

# Datasheet: AHP1323P BATCH NUMBER 154270

| Description:  | GOAT ANTI HUMAN IgG (Fc):HRP |
|---------------|------------------------------|
| Specificity:  | IgG (Fc)                     |
| Format:       | HRP                          |
| Product Type: | Polyclonal Antibody          |
| Isotype:      | Polyclonal IgG               |
| Quantity:     | 1 mg                         |

### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

|                            | Yes | No | <b>Not Determined</b> | Suggested Dilution |
|----------------------------|-----|----|-----------------------|--------------------|
| Flow Cytometry             |     |    | •                     |                    |
| Immunohistology - Frozen   | •   |    |                       | 1/500              |
| Immunohistology - Paraffin |     |    | •                     |                    |
| ELISA                      | •   |    |                       | 1/10000            |
| Immunoprecipitation        |     |    | •                     |                    |
| Western Blotting           | •   |    |                       | 1/1000             |
| Functional Assavs          |     |    | •                     |                    |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

| Target Species              | Human   |
|-----------------------------|---|
| Product Form                | Purified IgG conjugated to Horseradish Peroxidase (HRP) - liquid  |
| Antiserum Preparat          | <b>ion</b> Antisera to human IgG were raised by repeated immunisations of goats with highly purified antigen. Purified IgG prepared by affinity chromatography. |
| Buffer Solution             | Phosphate buffered saline   |
| Preservative<br>Stabilisers | 0.005% Gentamicin sulfate 1% Bovine Serum Albumin   |
| Approx. Protein             | IgG concentration 1.0 mg/ml   |

### Concentrations

| Immunogen                             |  |
|---------------------------------------|--|
|                                       | Human IgG (Fc) fragment.   |
| External Database                     | UniProt:   |
| Links                                 | P01860 Related reagents  |
|                                       | P01857 Related reagents  |
|                                       | P01859 Related reagents  |
|                                       | P01861 Related reagents  |
|                                       | Notated reagants   |
|                                       | Entrez Gene:   |
|                                       | 3502 IGHG3 Related reagents  |
|                                       | 3500 IGHG1 Related reagents  |
|                                       | 3501 IGHG2 Related reagents  |
|                                       | 3503 IGHG4 Related reagents  |
| RRID                                  | AB_877442  |
| Specificity                           | Goat anti Human IgG (Fc) antibody recognizes the Fc portion of human IgG. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-peroxidase, anti-Goat Serum, Human IgG, Human IgG (Fc) and Human Serum. No reaction was  |
|                                       | observed against human IgG F(ab') <sub>2</sub> .   |
| References                            | observed against human IgG F(ab') <sub>2</sub> .  1. Banerjee, K. <i>et al.</i> (2010) IgG subclass profiles in infected HIV type 1 controllers and chronic progressors and in uninfected recipients of Env vaccines. <u>AIDS Res Hum Retroviruses</u> . 26: 445-58.  2. Papachristos, A. <i>et al.</i> (2020) Correlation Between Bevacizumab Exposure and Survival in Patients with Metastatic Colorectal Cancer. <u>Oncologist</u> . 25(10):853-8   |
|                                       | <ol> <li>Banerjee, K. et al. (2010) IgG subclass profiles in infected HIV type 1 controllers and chronic progressors and in uninfected recipients of Env vaccines. <u>AIDS Res Hum Retroviruses</u>. 26: 445-58.</li> <li>Papachristos, A. et al. (2020) Correlation Between Bevacizumab Exposure and Survival in Patients with Metastatic Colorectal Cancer. <u>Oncologist</u>. 25(10):853-8</li> </ol>   |
| References                            | 1. Banerjee, K. <i>et al.</i> (2010) IgG subclass profiles in infected HIV type 1 controllers and chronic progressors and in uninfected recipients of Env vaccines. <u>AIDS Res Hum Retroviruses</u> . 26: 445-58.  2. Papachristos, A. <i>et al.</i> (2020) Correlation Between Bevacizumab Exposure and Survival in Patients with Metastatic Colorectal Cancer. <u>Oncologist</u> . 25(10):853-8  Store at +4°C or at -20°C if preferred.  |
|                                       | <ol> <li>Banerjee, K. et al. (2010) IgG subclass profiles in infected HIV type 1 controllers and chronic progressors and in uninfected recipients of Env vaccines. <u>AIDS Res Hum Retroviruses</u>. 26: 445-58.</li> <li>Papachristos, A. et al. (2020) Correlation Between Bevacizumab Exposure and Survival in Patients with Metastatic Colorectal Cancer. <u>Oncologist</u>. 25(10):853-8</li> <li>Store at +4°C or at -20°C if preferred.</li> <li>Storage in frost-free freezers is not recommended.</li> </ol>  |
|                                       | 1. Banerjee, K. <i>et al.</i> (2010) IgG subclass profiles in infected HIV type 1 controllers and chronic progressors and in uninfected recipients of Env vaccines. <u>AIDS Res Hum Retroviruses</u> . 26: 445-58.  2. Papachristos, A. <i>et al.</i> (2020) Correlation Between Bevacizumab Exposure and Survival in Patients with Metastatic Colorectal Cancer. <u>Oncologist</u> . 25(10):853-8  Store at +4°C or at -20°C if preferred.  |
|                                       | <ol> <li>Banerjee, K. <i>et al.</i> (2010) IgG subclass profiles in infected HIV type 1 controllers and chronic progressors and in uninfected recipients of Env vaccines. <u>AIDS Res Hum Retroviruses</u>. 26: 445-58.</li> <li>Papachristos, A. <i>et al.</i> (2020) Correlation Between Bevacizumab Exposure and Survival in Patients with Metastatic Colorectal Cancer. <u>Oncologist</u>. 25(10):853-8</li> <li>Store at +4°C or at -20°C if preferred.</li> <li>Storage in frost-free freezers is not recommended.</li> <li>This product should be stored undiluted. Avoid repeated freezing and thawing as this may</li> </ol>  |
|                                       | <ol> <li>Banerjee, K. et al. (2010) IgG subclass profiles in infected HIV type 1 controllers and chronic progressors and in uninfected recipients of Env vaccines. AIDS Res Hum Retroviruses. 26: 445-58.</li> <li>Papachristos, A. et al. (2020) Correlation Between Bevacizumab Exposure and Survival in Patients with Metastatic Colorectal Cancer. Oncologist. 25(10):853-8</li> <li>Store at +4°C or at -20°C if preferred.</li> <li>Storage in frost-free freezers is not recommended.</li> <li>This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend</li> </ol>  |
| Storage  Guarantee  Health And Safety | 1. Banerjee, K. et al. (2010) IgG subclass profiles in infected HIV type 1 controllers and chronic progressors and in uninfected recipients of Env vaccines. AIDS Res Hum Retroviruses. 26: 445-58.  2. Papachristos, A. et al. (2020) Correlation Between Bevacizumab Exposure and Survival in Patients with Metastatic Colorectal Cancer. Oncologist. 25(10):853-8  Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.  12 months from date of despatch  Material Safety Datasheet documentation #10115 available at: |
| Storage<br>Guarantee                  | 1. Banerjee, K. <i>et al.</i> (2010) IgG subclass profiles in infected HIV type 1 controllers and chronic progressors and in uninfected recipients of Env vaccines. <u>AIDS Res Hum Retroviruses</u> . 26: 445-58.  2. Papachristos, A. <i>et al.</i> (2020) Correlation Between Bevacizumab Exposure and Survival in Patients with Metastatic Colorectal Cancer. <u>Oncologist</u> . 25(10):853-8  Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.  |

## **Related Products**

## **Recommended Useful Reagents**

AbGUARD® HRP STABILIZER PLUS (BUF052A)

AbGUARD® HRP STABILIZER PLUS (BUF052B)
AbGUARD® HRP STABILIZER PLUS (BUF052C)
TMB CORE (BUF056A)
TMB CORE+ (BUF062A)
TMB SIGNAL+ (BUF054A)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M363898:200529'

#### Printed on 16 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint