

## Datasheet: AHP1494

<b>Description:</b>	RABBIT ANTI ORAI1 (C-TERMINAL)
<b>Specificity:</b>	ORAI1 (C-TERMINAL)
<b>Format:</b>	Purified
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			■	
Immunohistology - Frozen			■	
Immunohistology - Paraffin (1)	■			
ELISA			■	
Immunoprecipitation			■	
Western Blotting	■			0.5 - 1ug/ml
Functional Assays			■	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

**(1) This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. Sodium citrate buffer pH 6.0 is recommended for this purpose.**

<b>Target Species</b>	Human
<b>Species Cross Reactivity</b>	<p>Reacts with: Rat, Mouse</p> <p><b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.</p>
<b>Product Form</b>	Purified IgG - liquid

**Antiserum Preparation** Antiserum to human ORAI1 was raised by repeated immunisation of rabbits with highly

purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.02% Sodium Azide (NaN <sub>3</sub> )
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	A 16 amino acid peptide from near the carboxy terminus of human ORAI1.
External Database Links	<b>UniProt:</b> <a href="#">Q96D31</a> <a href="#">Related reagents</a>  <b>Entrez Gene:</b> <a href="#">84876</a> ORAI1 <a href="#">Related reagents</a>
Synonyms	CRACM1, TMEM142A
RRID	AB_2236468
Specificity	<p><b>Rabbit anti Human ORAI1 antibody</b> recognises human ORAI1, also known as Transmembrane protein 142A (TMEM142A), a 32.7 kDa multi-pass membrane protein belonging to the ORAI family.</p> <p>Antigen stimulation of immune cells triggers Ca<sup>2+</sup> entry through Ca<sup>2+</sup> release-activated Ca<sup>2+</sup> (CRAC) channels. CRAC channels are the main pathway for Ca<sup>2+</sup> influx in T-cells and promote the immune response to pathogens by activating the transcription factor NFAT.</p> <p>ORAI1 is a four- transmembrane spanning protein that is an essential component of CRAC. ORAI1 functions as a highly selective Ca<sup>2+</sup> plasma membrane channel that is gated through interactions with STIM1, the store-activated endoplasmic reticulum Ca<sup>2+</sup> sensor.</p> <p>Defective ORAI1 in humans is the cause of one form of hereditary severe combined immune deficiency (SCID), which results in ablated T-cell Ca<sup>2+</sup> entry.</p> <p>Rabbit anti Human ORAI1 antibody ( AHP1494) is not expected to cross react with either ORAI2 or ORAI3.</p>
Western Blotting	AHP1494 detects a band of approximately 49kDa in 49 cell lysates.
Further Reading	<ol style="list-style-type: none"><li>1. Feske, S., <i>et al.</i> (2006) A mutation in Orai1 causes immune deficiency by abrogating CRAC channel function. <a href="#">Nature; 441:179-85</a></li><li>2. Soboloff, J. <i>et al.</i> (2006) Calcium signals mediated by STIM and Orai proteins--a new paradigm in inter-organelle communication. <a href="#">Biochim Biophys Acta. 1763 (11): 1161-8.</a></li></ol>

3. Lewis, R.S. (2001) Calcium signaling mechanisms in T lymphocytes. [Annu Rev Immunol. 19: 497-521.](#)

---

<b>Storage</b>	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
----------------	---

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

---

<b>Guarantee</b>	12 months from date of despatch
------------------	---------------------------------

---

<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/AHP1494">https://www.bio-rad-antibodies.com/SDS/AHP1494</a> 10040
--------------------------------------	---

---

<b>Regulatory</b>	For research purposes only
-------------------	----------------------------

---

## Related Products

### Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) [FITC](#)  
Sheep Anti Rabbit IgG (STAR35...) [RPE](#)  
Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)  
Sheep Anti Rabbit IgG (STAR36...) [DyLight®488](#), [DyLight®680](#), [DyLight®800](#)  
Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)

### Recommended Useful Reagents

[ANTIGEN RETRIEVAL BUFFER, pH8.0 \(BUF025A\)](#)  
[TidyBlot WESTERN BLOT DETECTION REAGENT:HRP \(STAR209P\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)  
'M381719:210512'

Printed on 19 Jan 2024