

Datasheet: AHP1567

Description:	GOAT ANTI HUMAN CD318 (C-TERMINAL)
Specificity:	CD318 (C-TERMINAL)
Other names:	CDCP1
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			1/16000
Immunoprecipitation			▪	
Western Blotting	▪			1.0 - 3.0ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Antiserum Preparation	Antiserum to human CD318 (CT) was raised by repeated immunisation of goats with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.
Buffer Solution	TRIS buffered saline
Preservative Stabilisers	0.02% Sodium Azide (NaN ₃) 0.5% Bovine Serum Albumin
Approx. Protein	IgG concentration 0.5mg/ml

Concentrations

Immunogen	Peptide sequence C-PLLNTQEPMEPAE corresponding to the C-Terminal region of CD318 (NP_073753.3).
------------------	---

External Database Links

UniProt:

[Q9H5V8](#)

[Related reagents](#)

Entrez Gene:

[64866](#)

CDCP1

[Related reagents](#)

Synonyms

TRASK

RRID

AB_2244807

Specificity

Goat anti Human CD318 antibody recognises an epitope within the C-terminal (CT) region of isoform 1 of human CD318, otherwise known as CDCP1 (CUB domain-containing protein 1), a novel type I transmembrane protein expressed on the surface of haematopoietic stem cell subsets, epithelial cells and breast carcinoma, and up-regulated in metastatic lung and colorectal tumors.

Expression of CD318 on CD34⁺CD133⁺ leukaemic blasts from patients with AML (acute myeloid leukaemia) and CML (chronic myeloid leukaemia), suggesting a role for CD318 as a novel leukaemic diagnostic marker ([Uhr 2013](#)).

Western Blotting

AHP1567 detects a band of approximately 90kDa in human colon cell lysates.

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10057 available at: <https://www.bio-rad-antibodies.com/SDS/AHP156710057>

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) [FITC](#), [HRP](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com	To find a
----------------------------------	---	------------------	---	---------------	---	------------------

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M428146:240301'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)