

Datasheet: AHP1620 BATCH NUMBER 160927

Description:	RABBIT ANTI HUMAN IL-27 RECEPTOR ALPHA (C-TERMINAL)
Specificity:	IL-27 RECEPTOR ALPHA (C-TERMINAL)
Other names:	TCCR
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further							
information. For general protocol recommendations, please visit <u>www.bio-</u>							
Immunohistology - Paraffin (1)				5ug/ml			
Western Blotting	-			0.5 - 1.0ug/ml			
Immunofluorescence	•			20ug/ml			
Where this product has not been tested for use in a particular technique this does not							
system using appropriate negative/positive controls. (1)This product requires antigen retrieval using heat treatment prior to staining of paraffin sections.Sodium citrate buffer pH 6.0 is recommended for this purpose.							
Human							
Reacts with: Mouse, Rat							
N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.							
•		0		erences indicated for			
	derived from testing withi communications from the information. For general p rad-antibodies.com/proto Immunohistology - Paraffin (1) Western Blotting Immunofluorescence Where this product has n necessarily exclude its us a guide only. It is recomm system using appropriate (1) This product requires paraffin sections.Sodiu Human Reacts with: Mouse, Rat N.B. Antibody reactivity a reactivity is derived from	derived from testing within our lab communications from the originate information. For general protocols rad-antibodies.com/protocols. Yes Immunohistology - Paraffin (1) Western Blotting Immunofluorescence Where this product has not been to necessarily exclude its use in such a guide only. It is recommended the system using appropriate negative (1)This product requires antiget paraffin sections.Sodium citrate Human Reacts with: Mouse, Rat N.B. Antibody reactivity and workital reactivity is derived from testing workital	derived from testing within our laboratories communications from the originators. Please information. For general protocol recommerad-antibodies.com/protocols. rad-antibodies.com/protocols. Immunohistology - Paraffin (1) Western Blotting Immunofluorescence Where this product has not been tested for necessarily exclude its use in such procedu a guide only. It is recommended that the us system using appropriate negative/positive (1)This product requires antigen retrieva paraffin sections.Sodium citrate buffer paraffin sections.Sodium citrate buffer paraffin sections.Sodium citrate buffer paraffin sectivity and working condition reactivity is derived from testing within our sectivity is derived from testing within our sectivity is derived from testing within our sectivity is derived from testing within our sections.	derived from testing within our laboratories, peer-reviewed publications from the originators. Please refer to references in information. For general protocol recommendations, please visit with rad-antibodies.com/protocols. Yes No Not Determined Immunohistology - Paraffin (1) • • Western Blotting • • Immunofluorescence • • Where this product has not been tested for use in a particular tech necessarily exclude its use in such procedures. Suggested workir a guide only. It is recommended that the user titrates the product system using appropriate negative/positive controls. (1)This product requires antigen retrieval using heat treatment paraffin sections.Sodium citrate buffer pH 6.0 is recommended Human Reacts with: Mouse, Rat N.B. Antibody reactivity and working conditions may vary between			

Antiserum Preparation Antiserum to human IL-27Rα (C-Terminal) was raised by repeated immunisation of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by affinity

	chromatography.					
Buffer Solution	Phosphate buffered saline					
Preservative Stabilisers	0.02% Sodium Azide (NaN ₃)					
Approx. Protein Concentrations	IgG concentration 0.5mg/ml					
Immunogen	A peptide corresponding to amino acids near the carboxy terminus of human IL-27R α precursor.					
External Database Links	UniProt: <u>Q6UWB1</u> <u>Related reagents</u> Entrez Gene: <u>9466</u> IL27RA <u>Related reagents</u>					
Synonyms	CRL1, TCCR, WSX1					
RRID	AB_2295940					
Specificity	Rabbit anti human IL-27Rα antibody recognizes the carboxy terminal of the alpha subunit of the human IL-27 receptor, otherwise known as the T cell cytokine receptor (TCCR). It is a member of the type I cytokine receptor family with higher levels of expression in CD4+ T cells than in CD8+ T cells. It is a receptor for Interleukin-27 and is involved in the regulation of Th1-type T cells. It also appears to be involved in innate defense mechanisms. It is highly expressed in lymphoid tissue such as spleen, lymph nodes and peripheral blood leukocytes. It is also weakly expressed in tissues such as the heart, brain and lung.					
Western Blotting	Rabbit anti human IL-27R α detects a band of approximately 70kDa in human spleen tissue lysates.					
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.					
Guarantee	12 months from date of despatch					
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/AHP1620 10040					
Regulatory	For research purposes only					

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...)FITCGoat Anti Rabbit IgG (Fc) (STAR121...)Biotin, FITC, HRPSheep Anti Rabbit IgG (STAR35...)RPEGoat Anti Rabbit IgG (H/L) (STAR124...)HRP

Recommended Useful Reagents

TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

North & South	Tel: +1 800 265 7376 Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751	Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com	Email: antibody_sales_uk@bio-r	ad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M363971:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint