

Datasheet: AHP1624

Description:	RABBIT ANTI TEM7		
Specificity:	TEM7		
Other names:	TEM3		
Format:	Purified		
Product Type:	Polyclonal Antibody		
lsotype:	Polyclonal IgG		
Quantity:	0.1 mg		

Product Details

Applications	This product has been reported to work in the following applications. This information derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
	Immunohistology - Paraffin	Yes	No	Not Determined	Suggested Dilution	
	(1)	-			2.5ug/ml	
	Western Blotting	-			0.5 - 1.0ug/ml	
	Where this product has r			•	•	
	necessarily exclude its us		•			
	a guide only. It is recomm			•	or use in their own	
	system using appropriate	-	•		<i></i>	
	(1)This product require paraffin sections.Sodiu	-		-	•	
Target Species	Human					
Species Cross Reactivity	Reacts with: Mouse, Rat N.B. Antibody reactivity a reactivity is derived from personal communications further information.	and worki testing w	ithin our l	aboratories, peer-revie	wed publications or	
Product Form	Purified IgG - liquid					
Antiserum Preparatio	n Antiserum to human TEN		aised by re	epeated immunisation of		
	purmed antigen. Furmed	igG was	prepared		of rabbits with highly affinity chromatography.	

Preservative Stabilisers	0.02% Sodium Azide (NaN ₃)
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	A peptide corresponding to a 16 amino acid sequence from near the center of human TEM7.
External Database Links	UniProt: <u>Q8IUK5</u> <u>Related reagents</u> Entrez Gene: <u>57125</u> PLXDC1 <u>Related reagents</u>
Synonyms	TEM3, TEM7
RRID	AB_2166226
Specificity	 Rabbit anti Human TEM7 antibody recognises human Tumour endothelial marker 7, also known as TEM7, a 55.8 kDa protein belonging to the plexin family. TEM7 is strongly expressed in endothelial cells from colorectal cancer and from primary cancers of the lung, liver, brain, breast and pancreas. High expression of TEM7 is associated with metastasis and poor survival of patients with osteogenic sarcoma. There appear to be at least four isoforms of TEM7 which include membrane bound, secreted and intracellular forms. TEM7 is not detectable in endothelial cells from normal tissues.
Histology Positive Control Tissue	Mouse liver
Western Blotting	AHP1624 detects a band of approximately 56kDa in rat liver cell lysates.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/AHP1624 10040

Related Products

Recommended Secondary Antibodies

 Sheep Anti Rabbit IgG (STAR34...)
 FITC

 Sheep Anti Rabbit IgG (STAR35...)
 RPE

 Goat Anti Rabbit IgG (Fc) (STAR121...)
 Biotin, FITC, HRP

 Sheep Anti Rabbit IgG (STAR36...)
 DyLight®488, DyLight®680, DyLight®800

 Goat Anti Rabbit IgG (H/L) (STAR124...)
 HRP

Recommended Useful Reagents

ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025A) TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

 North & South
 Tel: +1 800 265 7376
 Worldwide

 America
 Fax: +1 919 878 3751
 Email: antibody_sales_us@bio-rad.com

 Tel: +44 (0)1865 852 700
 Europe

 Fax: +44 (0)1865 852 739
 Email: antibody_sales_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M382815:210513'

Printed on 29 Aug 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint