

# Datasheet: AHP1635 BATCH NUMBER 130114

| Description:  | RABBIT ANTI HUMAN CD282 (N-TERMINAL) |
|---------------|--------------------------------------|
| Specificity:  | CD282 (N-TERMINAL)                   |
| Other names:  | TLR2                                 |
| Format:       | Purified                             |
| Product Type: | Polyclonal Antibody                  |
| Isotype:      | Polyclonal IgG                       |
| Quantity:     | 0.1 mg                               |
|               |                                      |

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

|                                | Yes | No | Not Determined | Suggested Dilution |
|--------------------------------|-----|----|----------------|--------------------|
| Immunohistology - Paraffin (1) | •   |    |                | 2.0ug              |
| Western Blotting               | •   |    |                | 1.0ug/ml           |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1)This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. Sodium citrate buffer pH 6.0 is recommended for this purpose.

| Target Species              | Human  |
|-----------------------------|--|
| Species Cross<br>Reactivity | Reacts with: Mouse, Horse  N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. |
| Product Form                | Purified IgG - liquid  |
| Antiserum Preparation       | Antisera to Human CD282 (NT) were raised by repeated immunisation of Rabbits with highly purified antigen. Purified IgG prepared from whole serum by ion exchange chromatography   |

| Buffer Solution                      | Phosphate buffered saline   |
|--------------------------------------|---|
| Preservative<br>Stabilisers          | 0.02% Sodium Azide (NaN <sub>3</sub> )  |
| Approx. Protein Concentrations       | IgG concentration 1.0mg/ml  |
| Immunogen                            | A peptide corresponding to an 14 amino acid sequence from near the amino terminus of human CD282.   |
| External Database<br>Links           | UniProt:  O60603 Related reagents  Entrez Gene:  7097 TLR2 Related reagents   |
| Synonyms                             | TIL4  |
| RRID                                 | AB_2204578  |
| Specificity                          | Rabbit anti Human CD282 antibody recognises CD282, also known as TLR-2, a ~90 kDa type 1 transmembrane protein that is primarily expressed by peripheral blood monocytes. CD282 is also expressed in the spleen, bone marrow and lymph nodes. CD282 is reported to respond to a diverse range of bacterial cell wall components, mediating the innate immune response in co-operation with MD-2.  |
| Histology Positive<br>Control Tissue | Human spleen  |
| Western Blotting                     | AHP1635 detects a band of approximately 100kDa in A-20 cell lysate  |
| References                           | 1. Siemieniuch MJ <i>et al.</i> (2016) Type of Inflammation Differentially Affects Expression of Interleukin 1β and 6, Tumor Necrosis Factor-α and Toll-Like Receptors in Subclinical Endometritis in Mares. <u>PLoS One. 11 (5): e0154934.</u>   |
| Further Reading                      | <ol> <li>Vogel, S.N. <i>et al.</i> (2003) TLRs: differential adapter utilization by toll-like receptors mediates TLR-specific patterns of gene expression. Mol Interv. 3 (8): 466-77.</li> <li>Takeda, K. <i>et al.</i> (2003) Toll-like receptors. Annu Rev Immunol. 21: 335-76.</li> <li>Janeway, C.A. Jr. &amp; Medzhitov, R. (2002) Innate immune recognition. Annu Rev Immunol. 20: 197-216.</li> <li>O'Neill, L.A.J, <i>et al</i> (2003) The Toll-IL-1 receptor adaptor family grows to five members. Trends in Imm. 24:286-9.</li> </ol> |
| Storage                              | Store at +4°C or at -20°C if preferred.  Storage in frost-free freezers is not recommended.  This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend   |

microcentrifugation before use.

| Guarantee                        | 12 months from date of despatch  |
|----------------------------------|--|
| Health And Safety<br>Information | Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/AHP1635">https://www.bio-rad-antibodies.com/SDS/AHP1635</a> 10040 |
| Regulatory                       | For research purposes only   |

## **Related Products**

## **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34...) FITC

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Sheep Anti Rabbit IgG (STAR35...) RPE

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

#### **Recommended Useful Reagents**

ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025A)

TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M363980:200529'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint