

Datasheet: AHP1661

Description:	RABBIT ANTI TL1A (N-TERMINAL)
Specificity:	TL1A (N-TERMINAL)
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			0.5 - 1.0ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species

Human

Species Cross Reactivity

Reacts with: Mouse, Rat

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG - liquid

Antiserum Preparation

Antiserum to TL1A (NT) was raised by repeated immunisation of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by immunoaffinity chromatography.

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers

0.02% Sodium Azide (NaN₃)

Approx. Protein

IgG concentration 1.0mg/ml

Concentrations

Immunogen A peptide corresponding to 14 amino acids near the amino terminus of human TL1A.

External Database Links

UniProt:

[O95150](#) [Related reagents](#)

Entrez Gene:

[9966](#) TNFSF15 [Related reagents](#)

Synonyms TL1, VEGI

RRID AB_2206983

Specificity **Rabbit anti TL1A (N-Terminal) antibody** recognizes the amino Terminal of human TL1A, also known as tumour necrosis factor ligand superfamily member 15 (TNFSF15). TL1A acts as a co-stimulator of IFN-gamma secretion through binding to DR3 (death domain receptor 3 or TRAMP) and may play an important role in Th1-mediated diseases such as Crohn's disease. In cells expressing DR3, TL1A induces NF-kappa-B activation and apoptosis. Decoy receptor 3 (DcR3) is also a receptor for TL1A. DcR3 can apparently neutralise the effect of TL1A, by inhibiting the TL1A-DR3 interaction, thereby inhibiting apoptosis. TL1A is specifically expressed on endothelial cells and is detected on monocytes, placenta, lung, liver, kidney, skeletal muscle, pancreas, spleen, prostate, small intestine and colon.

Western Blotting AHP1661 detects a band of approximately 27kDa in PC-3 cell lysates

Further Reading

1. Wen, L. *et al.* (2003) TL1A-induced NF-kappaB activation and c-IAP2 production prevent DR3-mediated apoptosis in TF-1 cells. [J Biol Chem. 278 \(40\): 39251-8.](#)
2. Bamias, G. *et al.* (2003) Expression, localization, and functional activity of TL1A, a novel Th1-polarizing cytokine in inflammatory bowel disease. [J Immunol. 171 \(9\): 4868-74.](#)
3. Yang, C.R. *et al.* (2004) Soluble decoy receptor 3 induces angiogenesis by neutralization of TL1A, a cytokine belonging to tumor necrosis factor superfamily and exhibiting angiostatic action. [Cancer Res. 64 \(3\): 1122-9.](#)

Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10040 available at: <https://www.bio-rad-antibodies.com/SDS/AHP1661>
10040

Related Products

Recommended Secondary Antibodies

- Sheep Anti Rabbit IgG (STAR34...) [FITC](#)
- Sheep Anti Rabbit IgG (STAR35...) [RPE](#)
- Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)
- Sheep Anti Rabbit IgG (STAR36...) [DyLight®488](#), [DyLight®680](#), [DyLight®800](#)
- Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)

Recommended Useful Reagents

[TidyBlot WESTERN BLOT DETECTION REAGENT:HRP \(STAR209P\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M382577:210513'

Printed on 12 Aug 2023