

Datasheet: AHP1707

**BATCH NUMBER 156210**

<b>Description:</b>	RABBIT ANTI HUMAN CD234 (C-TERMINAL)
<b>Specificity:</b>	CD234 (C-TERMINAL)
<b>Other names:</b>	DARC
<b>Format:</b>	Purified
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Paraffin (1)	▪			2.5ug/ml
Western Blotting	▪			1.0 - 2.0ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

**(1)This product requires antigen retrieval using heat treatment prior to staining of paraffin sections.Sodium citrate buffer pH 6.0 is recommended for this purpose.**

### Target Species

Human

### Species Cross Reactivity

Reacts with: Mouse, Rat

**N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

### Product Form

Purified IgG - liquid

### Antiserum Preparation

Antisera to Human CD234 were raised by repeated immunisation of rabbits with highly purified antigen. Purified IgG prepared from whole serum by affinity chromatography.

<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.02% Sodium Azide (NaN <sub>3</sub> )
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0mg/ml
<b>Immunogen</b>	A peptide corresponding to a 16 amino acid sequence from near the carboxy terminus of Human CD234.
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">Q16570</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">2532</a>    DARC    <a href="#">Related reagents</a></p>
<b>Synonyms</b>	FY, GPD
<b>RRID</b>	AB_2261348
<b>Specificity</b>	<p><b>Rabbit anti Human CD234 antibody</b> detects CD234, also known as DARC, a multi-pass membrane protein belonging to the G protein coupled Duffy family. CD234 is a non-specific receptor for a number of cytokines including IL-8, GRO, RANTES, MCP-1 and TARC. CD234 also functions as the receptor for the malaria parasites <i>Plasmodium vivax</i> and <i>P. knowlesi</i>. CD234 is also responsible for the Duffy blood group system where a substitution at position 42 of either Gly-42 or Asp-42 results in Fy(A) or Fy(B). CD234 is present in adult kidney, adult spleen, bone marrow and fetal liver. In particular, it is expressed along post capillary venules throughout the body, except in the adult liver. Erythroid cells and post capillary venule endothelium are the principle tissues expressing duffy. Fy(-A-B) individuals do not express duffy in the bone marrow, however they do, in postcapillary venule endothelium. It has been demonstrated that CD234 exists in multiple isoforms.</p>
<b>Histology Positive Control Tissue</b>	Mouse brain tissue
<b>Western Blotting</b>	AHP1707 detects bands of approximately 23 and 36kDa in Mouse brain tissue lysate.
<b>Further Reading</b>	<ol style="list-style-type: none"> <li>Gardner, L. <i>et al.</i> (2004) The human Duffy antigen binds selected inflammatory but not homeostatic chemokines. <a href="#">Biochem Biophys Res Commun. 321 (2): 306-12.</a></li> <li>Chaudhuri A <i>et al.</i> (1993) Cloning of glycoprotein D cDNA, which encodes the major subunit of the Duffy blood group system and the receptor for the <i>Plasmodium vivax</i> malaria parasite. <a href="#">Proc Natl Acad Sci U S A. 90 (22): 10793-7.</a></li> <li>Gil, M.L. <i>et al.</i> (1992) A member of the tetra spans transmembrane protein superfamily is recognized by a monoclonal antibody raised against an HLA class I-deficient, lymphokine-activated killer-susceptible, B lymphocyte line. Cloning and preliminary functional studies. <a href="#">J Immunol. 148 (9): 2826-33.</a></li> </ol>

<b>Storage</b>	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
<b>Guarantee</b>	12 months from date of despatch
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/AHP1707">https://www.bio-rad-antibodies.com/SDS/AHP1707</a> 10040
<b>Regulatory</b>	For research purposes only

## Related Products

### Recommended Useful Reagents

[ANTIGEN RETRIEVAL BUFFER, pH8.0 \(BUF025A\)](#)

[TidyBlot WESTERN BLOT DETECTION REAGENT:HRP \(STAR209P\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M364001:200529'

**Printed on 10 Jul 2024**

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)