

Datasheet: AHP1722

BATCH NUMBER 153857

Description:	RABBIT ANTI HUMAN Bcl-xL
Specificity:	Bcl-xL
Other names:	BCL2L1
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1 - 2ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Antiserum Preparation	Antiserum to Bcl-xL was raised by repeated immunisation of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by ion exchange chromatography.
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.02% Sodium Azide (NaN ₃)
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	A peptide corresponding to 14 amino acids near the carboxy terminus of human Bcl-xL precursor.

**External Database
Links**

UniProt:

[Q07817](#) [Related reagents](#)

Entrez Gene:

[598](#) BCL2L1 [Related reagents](#)

Synonyms BCL2L, BCLX

RRID AB_2064873

Specificity **Rabbit anti Human Bcl-xL antibody** recognizes the long isoform of human Bcl-2-like protein 1, otherwise known as Bcl-xL, located on the mitochondrial membrane. The Bcl-xL isoform (the longer isoform) is a potent inhibitor of apoptosis. It appears to regulate cell death by binding to and blocking the voltage-dependent anion channel, thereby preventing the release of the caspase activator cytochrome c. High expression of Bcl-xL in tumours correlates to advanced disease and a poor prognosis.

Western Blotting AHP1722 detects a band of approximately 27kDa in A549 cell lysate

Storage Store at +4°C or at -20°C if preferred.
Storage in frost-free freezers is not recommended.
This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

**Health And Safety
Information** Material Safety Datasheet documentation #10040 available at:
<https://www.bio-rad-antibodies.com/SDS/AHP1722>
10040

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) [FITC](#)

Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)

Sheep Anti Rabbit IgG (STAR35...) [RPE](#)

Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)

Recommended Useful Reagents

[TidyBlot WESTERN BLOT DETECTION REAGENT:HRP \(STAR209P\)](#)

**North & South
America** Tel: +1 800 265 7376
Fax: +1 919 878 3751
Email: antibody_sales_us@bio-rad.com

Worldwide Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com

Europe Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50
Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M364008:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)