

## Datasheet: AHP1780

Description:	RABBIT ANTI DAI
Specificity:	DAI
Other names:	ZBP1
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further						
	information. For general	protocol r	ecommer	ndations, please visit <u>w</u>	ww.bio-		
	rad-antibodies.com/protocols.						
		Yes	No	Not Determined	Suggested Dilution		
	Immunohistology - Frozen			•			
	Immunohistology - Paraffin (1)	•					
	ELISA	•					
	Western Blotting (2)	-			0.5 - 1.0ug/ml		
	Immunofluorescence						
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as						
	<ul> <li>a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.</li> <li>(1) This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. Sodium citrate buffer pH 6.0 is recommended for this purpose.</li> <li>(2) Reduced and denatured conditions</li> </ul>						
Target Species	Human						
Species Cross Reactivity	Reacts with: Mouse, Rat <b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.						
Product Form	Purified IgG - liquid						

Antiserum Preparation Antisera to human DAI were raised by repeated immunisation of rabbits with highly purified antigen. Purified IgG prepared from whole serum by affinity chromatography.

Buffer Solution	Phosphate buffered saline			
Preservative Stabilisers	0.02% Sodium Azide (NaN <sub>3</sub> )			
Approx. Protein Concentrations	IgG concentration 1.0mg/ml			
Immunogen	Synthetic peptide corresponding to an 18 amino acid sequence from near the carboxy terminus of human ZBP1.			
External Database Links	UniProt: <u>Q9H171</u> <u>Related reagents</u> Entrez Gene: <u>81030</u> ZBP1 <u>Related reagents</u>			
Synonyms	C20orf183, DLM1			
RRID	AB_2257546			
Specificity	<ul> <li>Rabbit anti DAI antibody recognizes human DAI, also known as Z-DNA Binding Protein (ZBP1), a ~46 kDa DNA binding protein belonging to a family of proteins that contain a Za domain which specifically binds to the left-handed Z-DNA and Z-RNA.</li> <li>DAI may be involved in processes such host response to neoplasia. cytosolic DAI can act like the toll-like receptor TLR9 by detecting cytosolic double-stranded (ds) DNA and trigger induction of type I interferon and other innate immune responses. It is thought that the binding of DAI to dsDNA enhances its association with innate immune response proteins such as the IRF3 transcription factor and the serine/threonine kinase TBK1 (also known as NAK).</li> <li>DAI is highly expressed in lymphatic tissues such as lymph nodes, leukocytes, tonsil, bone marrow and spleen. Expression at a lower level is also seen in thymus, lung and liver. Multiple isoforms of DAI exist.</li> </ul>			
Western Blotting	AHP1780 detects a band of approximately 46 kDa in mouse small intestine tissue lysate			
References	<ol> <li>Takaoka, A. <i>et al.</i> (2007) DAI (DLM-1/ZBP1) is a cytosolic DNA sensor and an activator of innate immune response. <u>Nature. 448 (7152): 501-5.</u></li> <li>Schwartz, T. <i>et al.</i> (2001) Structure of the DLM-1-Z-DNA complex reveals a conserved family of Z-DNA-binding proteins. <u>Nat Struct Biol. 8 (9): 761-5.</u></li> </ol>			
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at			

	short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.			
Guarantee	12 months from date of despatch			
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/AHP1780 10040			
Regulatory	For research purposes only			

## **Related Products**

## **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR54...) HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21		
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50		
Email: antibody_sales_us@bio-rad.com Em		Email: antibody_sales_uk@bio	-rad.com	Email: antibody_sales_de@bio-rad.com			
To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M384374:210513'							
Printed on 12 Aug 2023							

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint