

Datasheet: AHP1809 BATCH NUMBER 161110

Description:	GOAT ANTI HUMAN CD194	
Specificity:	CD194	
Other names:	CCR4	
Format:	Purified	
Product Type:	Polyclonal Antibody	
Isotype:	Polyclonal IgG	
Quantity:	0.1 mg	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			Neat
Immunohistology - Frozen	•			
Immunohistology - Paraffin	•			1/50 - 1/100
ELISA	•			1/10,000 - 1/30,000
Immunoprecipitation				
Western Blotting	•			1/100 - 1/500

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid

Antiserum Preparation Antiserum to human CD194 was raised by repeated immunisation of goats with highly purified antigen. Purified IgG was prepared by affinity chromatography.

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.1% Sodium Azide (NaN ₃) 0.1% Bovine Serum Albumin
Approx. Protein	IgG concentration 1.0mg/ml

Immunogen Synthetic peptide SNYYLYESIPKPCTKEGIKAFGE corresponding to amino acids 17-39 of human CD194. **External Database UniProt:** Links P51679 Related reagents **Entrez Gene:** 1233 CCR4 Related reagents **Synonyms** CMKBR4 **RRID** AB 2074495 **Specificity** Goat anti Human CD194 antibody recognises human CD194, otherwise known as CCR4 or C-C chemokine receptor type 4. CD194 is a transmembrane glycoprotein and member of the G-protein coupled receptor 1 family, preferentially expressed by CD4+ Th2 (type 2 helper T) cells, which acts as a high affinity receptor for the chemokines MDC (macrophage-derived chemokine), MCP-1, MIP-1, RANTES and TARC. Flow Cytometry Use 10ul of the suggested working dilution to label 1x10⁶ cells in 100ul. **Histology Positive** Spleen **Control Tissue** Storage Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch **Health And Safety** Material Safety Datasheet documentation #10041 available at: Information https://www.bio-rad-antibodies.com/SDS/AHP1809 10041 Regulatory For research purposes only

Related Products

Concentrations

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

Recommended Useful Reagents

ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025A)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50 To
Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com Email: antibody_sales_de@bio-rad.com a

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M364050:200529'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint