

## Datasheet: AHP1815

**BATCH NUMBER 161157**

<b>Description:</b>	RABBIT ANTI p63 (C-TERMINAL)
<b>Specificity:</b>	p63 (C-TERMINAL)
<b>Other names:</b>	p73L
<b>Format:</b>	Purified
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			1/100000
Immunoprecipitation			▪	
Western Blotting	▪			1/1000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

### Target Species

Human

### Species Cross Reactivity

Reacts with: Mouse

**N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

### Product Form

Purified IgG - liquid

### Antiserum Preparation

Antiserum to human p63 (CT) was raised by repeated immunisation of rabbits with highly purified antigen. Purified IgG was prepared by affinity chromatography.

<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative</b>	0.1% Sodium Azide (NaN <sub>3</sub> )
<b>Stabilisers</b>	0.1% Bovine Serum Albumin
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0mg/ml.
<b>Immunogen</b>	Synthetic peptide C-NFDMDARRNKQQRIKEEGE corresponding to amino acids 662-680 within the C-terminal region of p63.
<b>External Database Links</b>	<p><b>UniProt:</b></p> <p><a href="#">Q9H3D4</a>    <a href="#">Related reagents</a></p> <p><a href="#">O88898</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b></p> <p><a href="#">8626</a>    TP63    <a href="#">Related reagents</a></p> <p><a href="#">22061</a>    Trp63    <a href="#">Related reagents</a></p>
<b>Synonyms</b>	KET, P63, P73H, P73I, P73L, Tp73I, TP73L, Trp63
<b>RRID</b>	AB_1720115
<b>Specificity</b>	<p><b>Rabbit anti p63 antibody</b> recognizes an epitope within the C-terminal (CT) region of tumour protein p63, otherwise known as tumour protein p73-like (p73L), a widely expressed nuclear protein and homologue of tumour suppressor p53, which acts as a sequence-specific DNA binding transcriptional activator/repressor.</p> <p>p63, vital for the development of the prostate and selectively expressed by normal prostate basal cells, has been shown to be a promising complementary basal cell specific marker to High Molecular Weight-Cytokeratin (HMW-CK), for the differential diagnosis of benign prostatic lesions and prostatic carcinoma.</p> <p>Rabbit anti p63 antibody is reported as suitable for use in immunocytochemistry.</p>
<b>Western Blotting</b>	<b>Rabbit anti Human p63 antibody</b> detects a band of approximately 75kDa in mouse lung and human tumour cell line K562 (protein degradation is as expected).
<b>Storage</b>	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
<b>Guarantee</b>	12 months from date of despatch

**Health And Safety Information** Material Safety Datasheet documentation #10041 available at:  
<https://www.bio-rad-antibodies.com/SDS/AHP1815>  
10041

---

**Regulatory** For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) [FITC](#)  
Sheep Anti Rabbit IgG (STAR35...) [RPE](#)  
Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)  
Sheep Anti Rabbit IgG (STAR36...) [DyLight®488](#), [DyLight®680](#), [DyLight®800](#)  
Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)

### Recommended Useful Reagents

[TidyBlot WESTERN BLOT DETECTION REAGENT:HRP \(STAR209P\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)  
'M382591:210513'

Printed on 18 Jan 2024

---

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)