

# Datasheet: AHP1817 BATCH NUMBER 160586

Description:	GOAT ANTI HUMAN INTERLEUKIN-21 (N-TERMINAL)
Specificity:	IL-21 (N-TERMINAL)
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	50 µg

## **Product Details**

Applications	This product has been reported to work in the following applications. This derived from testing within our laboratories, peer-reviewed publications o communications from the originators. Please refer to references indicated information. For general protocol recommendations, please visit www.bio rad-antibodies.com/protocols.YesNoNot DeterminedSugFlow Cytometry					
	Immunohistology - Frozen					
	Immunohistology - Paraffin (1)	-				
	ELISA	•			1/50000	
	Immunoprecipitation					
	Western Blotting			•		
	Immunocytochemistry Where this product has r					
	necessarily exclude its use in such procedures. Suggested working dilution a guide only. It is recommended that the user titrates the product for use in system using appropriate negative/positive controls. (1)IL-21 antibody requires antigen retrieval using heat treatment prior to sta paraffin sections.					
Target Species	Human					
Product Form	Purified IgG - liquid					
Antiserum Preparation Antiserum to human IL-21 (NT) was raised by repeated immunisation of goats with highly purified antigen. Purified IgG was prepared by affinity chromatography.						
Buffer Solution	Phosphate buffered saline					
Preservative	0.1% Sodium Azide (NaN <sub>3</sub> )					

Stabilisers	0.1% Bovine Serum Albumin				
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml				
Immunogen	Synthetic peptide C-RQLIDIVDQLKNYVNDLVPEFLPAPEDVE corresponding to amino acids 40-68 within the N-terminal region of human IL-21.				
External Database Links	UniProt:				
RRID	AB_2125267				
Specificity	Goat anti Human Interleukin-21 antibody recognizes human as IL-21 or Za11. IL-21 is a , a 155 amino acid pro-cytokine, re the secreted mature form. IL-21 is a potent immunoregulatory IL-15/IL-21 family, expressed and secreted by activated CD4+ isoforms are generated by alternative splicing and differing is a (UniProt: Q9HBE4). Goat anti Human interleukin-21 antibody of the N-terminal (NT) region of human interleukin-21 (IL-21) and isoforms. IL-21 enhances the proliferation/differentiation of stimulated B- bone marrow progenitor cells, and increases the activity of NK CD8+ T-cells. IL-21 signals through binding to the specific type coupled with the common cytokine receptor g chain (gc), initia JAK/STAT signalling pathway. Goat anti Human Interleukin-21 antibody is suitable for use in human spleen or tonsil cells.	educed to 133 anino acids in cytokine and member of the T cells. Two potential sequence atthe C-terminus recognizes an epitope within I is expected to bind both cells, the proliferation of cells and disease-specific e I cytokine receptor IL-21R, ting the activation of the			
Storage	Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freez denature the antibody. Should this product contain a precipitat microcentrifugation before use.	• • •			
Guarantee	12 months from date of despatch				
Health And Safety Information	Material Safety Datasheet documentation #10041 available at <a href="https://www.bio-rad-antibodies.com/SDS/AHP1817">https://www.bio-rad-antibodies.com/SDS/AHP1817</a> 10041	:			
Regulatory	For research purposes only				

### **Related Products**

#### **Recommended Secondary Antibodies**

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M364055:200529'

#### Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint