

Datasheet: AHP1833 BATCH NUMBER 154745

| Description: | RABBIT ANTI HUMAN CD120b |
|---------------|--------------------------|
| Specificity: | CD120b |
| Other names: | TNF-R2 |
| Format: | Purified |
| Product Type: | Polyclonal Antibody |
| Isotype: | Polyclonal IgG |
| Quantity: | 0.1 mg |
| | |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------------------|-----|----|----------------|--------------------|
| Flow Cytometry | | | | |
| Immunohistology - Frozen | | | • | |
| Immunohistology - Paraffin | | | • | |
| ELISA | - | | | 0.5 - 2.0ug/ml |
| Immunoprecipitation | | | • | |
| Western Blotting | • | | | 0.1 - 0.2ug/ml |
| Immunofluorescence | • | | | 3.0ug/ml |
| Functional Assays | - | | | 15.0 - 20.0ug/ml |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

| Target Species | Human |
|----------------|---|
| Product Form | Purified IgG - lyophilised |
| Reconstitution | Reconstitute with 0.1ml distilled water |
| | Care should be taken during reconstitution as the protein may appear as a film at the |
| | bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution. |
| | For long term storage the addition of 0.09% sodium azide is recommended. |
| | N.B. For functional studies do not add sodium azide |
| | |

Antiserum Preparation Antiserum to human CD120b were raised by repeated immunisation of rabbits with highly

purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.

| Buffer Solution | Phosphate buffered saline | |
|-----------------------------------|---|--|
| Preservative Stabilisers | None present | |
| Carrier Free | Yes | |
| Approx. Protein Concentrations | IgG concentration 1.0 mg/ml after reconstitution | |
| Immunogen | Recombinant human CD120b (PHP215) | |
| External Database Links | UniProt: P20333 Related reagents Entrez Gene: 7133 TNFRSF1B Related reagents | |
| Synonyms | TNFBR, TNFR2 | |
| RRID | AB_2240832 | |
| Specificity | Rabbit anti human CD120b recognizes the soluble form of human CD120b, otherwise known as sTNF receptor type II (sTNFR1I), a member of the tumour necrosis factor receptor (TNFR) superfamily, produced by proteolytic cleavage of the membrane form by the metalloprotease TACE. CD120b plays a key role in regulating the inflammatory response, acting as a receptor for both tumour necrosis factor alpha (TNF-alpha) and TNF-beta, and is also involved in | |
| | programmed cell death and anti-viral activity. sTNFR1I acts as an inhibitor of TNF-alpha induced responses, by acting as a decoy receptor. | |
| ELISA | This purified human CD120b antibody may be used in an indirect ELISA or as the capture reagent in a sandwich ELISA with a <u>biotinylated human CD120b antibody</u> (AHP1833B) as the detection reagent and <u>recombinant human CD120b</u> (PHP215) as the standard. | |
| Western Blotting | This purified human CD120b antibody may be used in Western Blotting applications under either reducing or non-reducing conditions with <u>recombinant human CD120b</u> (PHP215) as the positive control. | |
| Storage | Prior to reconstitution store at -20°C. After reconstitution store at -20°C. | |
| | This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. | |

| Guarantee | 6 months from date of despatch |
|----------------------------------|--|
| Health And Safety Information | Material Safety Datasheet documentation #10162 available at: https://www.bio-rad-antibodies.com/SDS/AHP1833 10162 |
| Regulatory | For research purposes only |

Related Products

America

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Sheep Anti Rabbit IgG (STAR35...)

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Recommended Useful Reagents

TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

North & South Tel: +1 800 265 7376 Tel: +44 (0)1865 852 700

Worldwide

Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com Email: antibody_sales_de@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M372950:200730'

Printed on 04 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint