

Datasheet: AHP1833B BATCH NUMBER 148570

Description:	RABBIT ANTI HUMAN CD120b:Biotin
Specificity:	CD120b
Other names:	TNF-R2
Format:	Biotin
Product Type:	Polyclonal Antibody
lsotype:	Polyclonal IgG
Quantity:	50 µg

Product Details

Applications	This product has been red derived from testing with communications from the information. For general rad-antibodies.com/proto	in our labo e originato protocol re	oratories, p rs. Please	eer-reviewed publica refer to references ir	ations or personal ndicated for further
		Yes	No	Not Determined	Suggested Dilution
	Flow Cytometry				
	Immunohistology - Frozen			-	
	ELISA	•			0.25 - 1.0ug/ml
	Immunoprecipitation			•	
	Western Blotting	•			0.1 - 0.2ug/ml
	Where this product has r	not been te	ested for us	se in a particular tech	nnique this does not
Target Species	necessarily exclude its u a guide only. It is recomr system using appropriate Human	nended the	at the user	titrates the product	
Product Form	Purified IgG conjugated	to Biotin - I	yophilised		
Reconstitution	Reconstitute with 0.5ml s Care should be taken du bottom of the vial. Bio-Ra For long term storage the	ring recon ad recomn	stitution as nend that t	s the protein may app he vial is gently mixe	bear as a film at the ad after reconstitution.
Antiserum Preparation	Antiserum to human CD ⁻ purified antigen. Purified		-	•	
Buffer Solution	Phosphate buffered salir	ie			

Preservative Stabilisers	None present
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 0.1mg/ml after reconstitution
Immunogen	Recombinant human CD120b (PHP215)
External Database Links	UniProt: <u>P20333</u> <u>Related reagents</u> Entrez Gene:
	7133 TNFRSF1B Related reagents
Synonyms	TNFBR, TNFR2
RRID	AB_2206652
Specificity	Rabbit anti human CD120b recognizes the soluble form of human CD120b, otherwise known as sTNF receptor type II (sTNFR1I), a member of the tumour necrosis factor receptor (TNFR) superfamily, produced by proteolytic cleavage of the membrane form by the metalloprotease TACE.
	CD120b plays a key role in regulating the inflammatory response, acting as a receptor for both tumour necrosis factor alpha (TNF-alpha) and TNF-beta, and is also involved in programmed cell death and anti-viral activity. sTNFR1I acts as an inhibitor of TNF-alpha induced responses, by acting as a decoy receptor.
ELISA	This biotinylated human CD120b antibody may be used in a direct ELISA or as the detection reagent in a sandwich ELISA with a <u>purified human CD120b antibody</u> (AHP1833) as the capture reagent and <u>recombinant human CD120b</u> (PHP215) as the standard.
Western Blotting	This biotinylated human CD120b antibody may used in Western Blotting applications under either reducing or non-reducing conditions with <u>recombinant human CD120b</u> (PHP215) as the positive control.
Storage	Prior to reconstitution store at -20°C. After reconstitution store at -20°C.
	This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.

Regulato	ry	For research purpose	es only		
North & South			Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3 Email: antibody_s	3751 ales_us@bio-rad.com	Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-	rad.com	Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.cor

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint