

Datasheet: AHP2183B

Description:	RABBIT ANTI HUMAN CD54:Bio	
Specificity:	CD54	
Other names:	ICAM-1	
Format:	Biotin	
Product Type:	Polyclonal Antibody	
lsotype:	Polyclonal IgG	
Quantity:	50 µg	

Product Details

Applications	This product has been re derived from testing withi communications from the information. For general	n our labe originate	oratories, ors. Please	peer-reviewed publica e refer to references in	tions or personal dicated for further		
	rad-antibodies.com/proto		coommen		WW.BIO		
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry			•			
	Immunohistology - Frozen			•			
	Immunohistology - Paraffin						
	ELISA	-			0.25 - 1.0ug/ml		
	Immunoprecipitation			•			
	Western Blotting	-			0.1 - 0.2ug/ml		
	Where this product has not been tested for use in a particular technique this does not						
	necessarily exclude its us	se in such	n procedu	res. Suggested workin	g dilutions are given as		
	a guide only. It is recomn	nended th	at the use	er titrates the product f	or use in their own		
	system using appropriate	e negative	/positive o	controls.			
Target Species	Human						
Product Form	Purified IgG conjugated t	o Biotin -	lyophilize	d			
Reconstitution	Reconstitute with 0.5ml s Care should be taken du bottom of the vial. Bio-Ra	ring recor ad recomr	nstitution a mend that	as the protein may app the vial is gently mixe	bear as a film at the dafter reconstitution.		
	For long term storage the	e addition	of 0.09%	sodium azide is recom	nmended.		
Antiserum Preparatio	n Antiserum to human CD5 purified antigen. Purified		-				
Buffer Solution	Phosphate buffered salin	e					

Preservative Stabilisers	None present
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 0.1mg/ml after reconstitution
Immunogen	Recombinant human CD54.
External Database Links	UniProt: <u>P05362</u> <u>Related reagents</u> Entrez Gene: 3383 ICAM1 Related reagents
RRID	AB_10841631
Specificity	 Rabbit anti Human CD54 antibody recognizes human CD54, otherwise known as Intercellular adhesion molecule 1 or ICAM-1. CD54 is a 532 amino acid single pass type I membrane glycoprotein containing five <u>Ig-like C2-type domains</u>. CD54 is widely expressed and acts as a ligand for the leukocyte integrin LFA-1 (CD11a/CD18) and Mac-1 integrins, it is the major receptor for human rhinovirus(<u>Staunton <i>et al.</i></u> 1989). CD54 is highly expressed on activated endothelial cells (Favoloro 1993) and plays a role in transendothelial cell migration to sites of acute inflammation, functioning primarily as an adhesion molecule between endothelial cells and leucocytes, following injury or stress (Manes and Pober 2011). Levels of soluble CD54 in serum (Matalliotakis <i>et al.</i> 2001) or urine (Kim <i>et al.</i> 2006), can be potentially used as an indication of infection, inflammation and certain tumour, and as a target for immunosuppression in transplantation.
ELISA	This biotinylated human CD54 antibody may be used in a direct ELISA or as the detection reagent in a sandwich ELISA with our <u>purified human CD54 antibody</u> (AHP2183) as the capture reagent and <u>recombinant human CD54</u> (PHP250) as the standard.
References	 Nadlonek, N.A. <i>et al.</i> (2012) Radiation induces osteogenesis in human aortic valve interstitial cells. <u>J Thorac Cardiovasc Surg. 144 (6): 1466-70.</u> Watson, R.L. <i>et al.</i> (2015) Endothelial CD99 signals through soluble adenylyl cyclase and PKA to regulate leukocyte transendothelial migration. <u>J Exp Med. 212 (7): 1021-41.</u>
Storage	Prior to reconstitution store at -20°C. After reconstitution store at -20°C. This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch

Regulato	ry	For research purpose	es only		
lorth & South	Tel: +1 800 265 73 Fax: +1 919 878 3		Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50
America		ales_us@bio-rad.com	Email: antibody_sales_uk@bio	-rad.com	Email: antibody_sales_de@bio-rad.co

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint