

Datasheet: AHP2262

Description:	GOAT ANTI HUMAN FURIN (C-TERMINAL)
Specificity:	FURIN (C-TERMINAL)
Other names:	PACE
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA	•			1/128000
Immunoprecipitation			•	
Western Blotting	•			0.01 - 0.03ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

	system using appropriate negative/positive controls.
Target Species	Human
Species Cross Reactivity	Based on sequence similarity, is expected to react with: Mouse, Rat, Dog, Pig, Bovine N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid
Antiserum Preparation	n Antiserum to human Furin (CT) was raised by repeated immunisation of goats with highly purified antigen. Purified IgG was prepared by affinity chromatography.
Buffer Solution	TRIS buffered saline

Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃) 0.5% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 0.5mg/ml
Immunogen	Synthetic peptide sequence C-EDEGRGERTAFIKDQ, from within the C-Terminal region of Furin (NP_002560.1).
External Database Links	UniProt: P09958 Related reagents Entrez Gene: 5045 FURIN Related reagents
Synonyms	FUR, PACE, PCSK3
Specificity	Goat anti Human furin antibody recognizes an epitope within the C-Terminal (CT) region of furin, otherwise known as PACE (Paired basic Amino acid Cleaving Enzyme). Furin is a calcium-dependent serine endoprotease and proprotein convertase, which plays a crucial role in the processing of latent precursor proteins into their biologically active forms, such as during the Notch signaling pathway. The Notch signaling pathway is an evolutionarily conserved pathway in multicellular organisms, vital for cell-cell communication, important during fundamental developmental and physiological processes, including regulation of cell fate decisions during neuronal, cardiac and endocrine development, stem cell hematopoiesis, thymic T cell development, and both tumor progression and suppression. Furin is a critical enzyme during the S1 cleavage of pre-Notch proteins within the golgi apparatus, to convert the nascent form into the mature heterodimeric Notch receptor and the non-covalently associated intracellular domain. These are then transported to the cell surface, in preparation for ligand-receptor binding and further S2 and S3 cleavage, resulting in the release and translocation of the intracellular domain to the nucleus.
Western Blotting	AHP2262 detects a band of approximately 110kDa in HEK293 lysate transiently expressing Human Furin tagged with myc and DYKDDDDK.
Further Reading	1. Bray, S.J. (2006) Notch signalling: a simple pathway becomes complex. Nat Rev Mol Cell Biol. 7 (9): 678-89.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

 Guarantee
 12 months from date of despatch

 Health And Safety Information
 Material Safety Datasheet documentation #10058 available at: https://www.bio-rad-antibodies.com/SDS/AHP2262

 Regulatory
 For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M428190:240301'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint