

Datasheet: AHP2340

Description:	RABBIT ANTI PROTEIN KINASE C BETA
Specificity:	PROTEIN KINASE C BETA
Other names:	PKC beta
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	50 µg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			0.5 - 4.0 ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species

Mouse

Species Cross Reactivity

Reacts with: Rat

Based on sequence similarity, is expected to react with: Human

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG - liquid

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers

30% Glycerol
0.5% Bovine Serum Albumin
0.03% Proclin™300
5mM EDTA

Approx. Protein Concentrations	IgG concentration 0.5 mg/ml
Immunogen	Synthetic peptide corresponding to the C-terminus of mouse protein kinase c beta
External Database Links	<p>UniProt: P68404 Related reagents</p> <p>Entrez Gene: 18751 Prkcb Related reagents</p>
Synonyms	Pkcb, Prkcb1
Specificity	Rabbit anti protein kinase c beta antibody recognizes one of a family of protein kinase enzymes that are involved in controlling the function of other proteins through the phosphorylation of hydroxyl groups of serine and threonine amino acid residues on these proteins. These serine/threonine kinases are involved in signal transduction pathways that govern a wide range of physiological processes including differentiation, proliferation, gene expression, brain function, membrane transport and the organization of cytoskeletal and extracellular matrix proteins.
Western Blotting	Rabbit anti protein kinase C beta antibody recognizes the 60 kDa and 75 kDa beta isoforms in rat kidney lysates
Storage	Store at -20°C Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #20377 available at: 20377: https://www.bio-rad-antibodies.com/uploads/MSDS/20377.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...)	FITC
Goat Anti Rabbit IgG (H/L) (STAR124...)	HRP
Goat Anti Rabbit IgG (Fc) (STAR121...)	Biotin , FITC , HRP
Sheep Anti Rabbit IgG (STAR35...)	RPE
Sheep Anti Rabbit IgG (STAR36...)	DyLight®488 , DyLight®680 , DyLight®800

From March 15, 2021, we will no longer supply printed datasheets with our products.

North & South Tel: +1 800 265 7376

Worldwide Tel: +44 (0)1865 852 700

Europe Tel: +49 (0) 89 8090 95 21

Look

America Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

out

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

for

updates on how to access your digital version at [bio-rad-antibodies.com](https://www.bio-rad-antibodies.com)

'M361187:200210'

Printed on 12 Feb 2021

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)