

Datasheet: AHP2351

Description:	RABBIT ANTI STAT5B	
Specificity:	STAT5	
Format:	Purified	
Product Type:	Polyclonal Antibody	
Isotype:	Polyclonal IgG	
Quantity:	50 μg	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Paraffin				5.0 ug/ml
Immunoprecipitation	•			20 ug/ml
Western Blotting	•			0.5 - 4.0 ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse, Rat N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	None present
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml

Immunogen

Synthetic peptide surrounding amino acid 777 of human STAT5

External Database Links

UniProt:

P51692 Related reagents

Entrez Gene:

6777 STAT5B Related reagents

Specificity

Rabbit anti STAT5B antibody recognizes signal transducer and activator of transcription 5B (STAT5B), a member of the STAT protein family, which plays an important role in cell growth, survival differentiation and transformation, transducing signals from cytokine receptors to the nucleus. STAT5B is tyrosine phosphorylated by members of the Janus kinase family in response to cytokines and growth factor stimulation. Phosphorylation results in STAT activation and the formation of STAT5 homo- and STAT5/STAT3 heterodimers. STAT dimers translocate from the cytoplasm to the nucleus where they act as transcription factors. Deregulated JAK/STAT signaling has been implicated in a variety of cancers; STATs can regulate the tumor microenvironment and trigger a shift from cancer inhibition to promotion.

Western Blotting

Rabbit anti STAT5 antibody recognizes a band of approximately 95 kDa in 3T3 cell lysate and rat kidney tissue lysate

Storage

Store at -20°C

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend

microcentrifugation before use.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10162 available at:

10162: https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) **FITC**

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Sheep Anti Rabbit IgG (STAR35...) **RPE**

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Sheep Anti Rabbit IgG (STAR36...) DyLight®488, DyLight®680, DyLight®800

America

North & South Tel: +1 800 265 7376 Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody sales us@bio-rad.com

Email: antibody sales uk@bio-rad.com

Email: antibody sales de@bio-rad.com

Printed on 06 Jan 2022

© 2022 Bio-Rad Laboratories Inc | Legal | Imprint