

Datasheet: AHP2368B BATCH NUMBER 162336

Description:	RABBIT ANTI BOVINE IP-10:Biotin		
Specificity:	IP-10		
Other names:	CXCL10		
Format:	Biotin		
Product Type:	Polyclonal Antibody		
Isotype:	Polyclonal IgG		
Quantity:	50 µg		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA	•			0.01ug/ml - 0.2ug/ml
Immunoprecipitation				
Western Blotting				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Bovine
Species Cross	Reacts with: Horse, Cat, Mouse, Sheep, Pig
Reactivity	Does not react with:Dog, Rabbit
	N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG conjugated to Biotin - liquid

Antiserum Preparation Antisera to bovine IP-10 (CXCL10) were raised by repeated immunisation of rabbits with

highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.

Buffer Solution	Phosphate buffered saline			
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)			
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml			
Immunogen	Recombinant bovine IP-10 (CXCL10)			
External Database Links	UniProt: Q2KIQ8 Related reagents			
	Entrez Gene:			
	615107 CXCL10 Related reagents			
Specificity	Rabbit anti Bovine IP-10 antibody recognizes bovine interferon gamma-inducible protein (IP-10), also known as CXCL10. IP-10 is expressed in a variety of tissues including liver, gut, spleen, kidney and thymus, in response to interferon gamma.			
	IP-10 acts as a chemoattractant for monocytes, NK cells and certain T-cells.			
ELISA	This product may be used as a detection antibody in a sandwich ELISA together with <u>AHP2368</u> as the capture reagent. Recombinant Bovine IP-10 (<u>PBP030</u>) may be used as a standard.			
Further Reading	1. Müller, M. <i>et al.</i> (2010) Review: The chemokine receptor CXCR3 and its ligands CXCL9, CXCL10 and CXCL11 in neuroimmunitya tale of conflict and conundrum. Neuropathol Appl Neurobiol. 36: 368-87.			
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.			
Guarantee	12 months from date of despatch			
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/AHP2368B 10040			
Regulatory	For research purposes only			

North & South Tel: +1 800 265 7376 America

Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint