

Datasheet: AHP2395

Description:	RABBIT ANTI PIG INTERLEUKIN-17A		
Specificity:	IL-17A		
Format:	Purified		
Product Type:	Polyclonal Antibody		
Isotype:	Polyclonal IgG		
Quantity:	0.1 mg		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA				0.5ug/ml - 5ug/ml
Immunoprecipitation			•	
Western Blotting				0.1ug/ml - 2ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Pig	
Species Cross Reactivity	Reacts with: Horse, Sheep, Bovine, Human, Rat N.B. Antibody reactivity and working conditions may vary betwee reactivity is derived from testing within our laboratories, peer-repersonal communications from the originators. Please refer to further information.	eviewed publications or
Product Form	Purified IgG - liquid	
Antiserum Preparation	Antisera to pig interleukin-17A were raised by repeated immur purified antigen. Purified IgG was prepared from whole serum	- ·
Buffer Solution	Phosphate buffered saline	

Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Recombinant pig interleukin-17A
External Database Links	UniProt: Q60I29 Related reagents Entrez Gene: 449530 IL17A Related reagents
Synonyms	IL17
Specificity	Rabbit anti Pig interleukin-17A antibody recognizes porcine interleukin-17A (IL-17A), a 35 kDa disulfide-linked homodimer consisting of two 153 amino acid chains, which belongs to the IL-17 family (classified as IL-17A to IL-17F), and signals through the IL-17 receptor (IL-17R/CDw217). IL-17, originally thought to have been produced primarily by activated CD4+ T cells, appears to have a range of cellular origins and induces a variety of target cells to secrete inflammatory cytokines, including IL-1β, IL-6, TNFα, IFNγ and granulocyte colonystimulating factor, as well as synergizing with other inflammatory cytokines and agonists.
ELISA	This product may be used as a capture antibody in a sandwich ELISA together with AHP2395B as the detection reagent. Recombinant pig interleukin-17A (PPP028) may be used as a standard.
Storage	This product is shipped at ambient temperature. Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/AHP2395 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR124...) <u>HRP</u> Sheep Anti Rabbit IgG (STAR35...) <u>RPE</u>

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M439068:250523'

Printed on 23 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint