

Datasheet: AHP2410

BATCH NUMBER 153240

Description:	RABBIT ANTI p38 ALPHA MAPK		
Specificity:	p38 ALPHA MAPK		
Other names:	MAPK14		
Format:	Purified		
Product Type:	Polyclonal Antibody		
Isotype:	Polyclonal IgG		
Quantity:	0.1 mg		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	-			1/200

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse	
Species Cross Reactivity	Reacts with: Rat, Human N.B. Antibody reactivity and working conditions may vary between reactivity is derived from testing within our laboratories, peer-repersonal communications from the originators. Please refer to further information.	eviewed publications or
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography	
Antiserum Preparation	Antiserum to p38 alpha MAPK was raised by repeated immun purified antigen	isation of rabbits with highly
Buffer Solution	Phosphate buffered saline	

Preservative Stabilisers	0.1% Sodium Azide (NaN ₃) 0.2% Gelatin
Approx. Protein Concentrations	IgG concentration 0.2 mg/ml
Immunogen	Peptide mapping to the carboxy terminus of mouse p38 alpha MAPK and sharing 100% homology with the human sequence
External Database Links	UniProt: P47811 Related reagents Entrez Gene: 26416 Mapk14 Related reagents
Synonyms	Crk1, Csbp1, Csbp2
Specificity	Rabbit anti p38 alpha MAPK antibody recognizes mitogen-activated protein kinase p38 alpha (p38-alpha MAPK), also known as MAP kinase 14 (MAPK14) and stress activated protein kinase 2a (SAPK2a). p38 alpha is a member of the p38 MAPK serine/threonine kinase protein family, which also includes p38-beta (MAPK11), p38-gamma (MAPK12) and p38-delta (MAPK13) (Cargnello and Roux 2011). p38 alpha MAPK becomes activated in response to a variety of stimuli, which include inflammatory cytokines and oxidative stress (Cargnello and Roux 2011). p38 alpha MAPK plays an essential role in mediating inflammation by regulating the expression of tumor necrosis factor alpha (TNF alpha) and interleukin 1 (IL-1) (Dhillon et al. 2007). p38 MAPK proteins have been implicated in cancer development and p38 alpha MAPK has been proposed to act as a tumor suppressor (Dhillon et al. 2007).
Western Blotting	Rabbit anti p38 alpha MAPK recognizes a band of approximately 38 kDa when run under reducing conditions
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #20341 available at: https://www.bio-rad-antibodies.com/SDS/AHP2410 20341
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR124...) <u>HRP</u>
Sheep Anti Rabbit IgG (STAR35...) <u>RPE</u>
Goat Anti Rabbit IgG (Fc) (STAR121...) <u>Biotin</u>, <u>FITC</u>, <u>HRP</u>

Recommended Useful Reagents

TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M361180:200210'

Printed on 23 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint