

# Datasheet: AHP2412

Description:	RABBIT ANTI C-JUN
Specificity:	C-JUN
Other names:	AP-1, p39
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

## **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	-			1/400

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse	
Species Cross Reactivity	Reacts with: Human, Rat <b>N.B.</b> Antibody reactivity and working conditions may vary betw reactivity is derived from testing within our laboratories, peer-repersonal communications from the originators. Please refer to further information.	eviewed publications or
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography	
Antiserum Preparation	Antiserum to c-Jun was raised by repeated immunisation of ral antigen	obits with highly purified
Buffer Solution	Phosphate buffered saline	
Preservative	0.1% Sodium Azide (NaN <sub>3</sub> )	

**Stabilisers** 0.2% Gelatin Approx. Protein IgG concentration 0.2 mg/ml Concentrations **Immunogen** Peptide mapping to the amino terminus of mouse c-Jun **External Database UniProt:** Links P05627 Related reagents **Entrez Gene:** 16476 Jun Related reagents **Specificity** Rabbit anti c-Jun antibody recognizes c-Jun, also known as p39. The c-Jun transcription factor is encoded by the c-Jun oncogene and dimerizes with c-Fos, JDP and ATF family members to form the AP-1 transcription factor (Eferl and Wagner 2003). AP-1 is activated by a variety of stimuli including cytokines, stress and growth factors, and plays a critical role in cellular processes ranging from proliferation to apoptosis. c-Jun becomes phosphorylated on Serine 63 and Serine 73 by MAPK8 (SAPK/JNK) and PLK3, which regulate c-Jun transcription. c-Jun has been implicated in early tumor development, invasion and metastasis, and due to these findings has been identified as a target for cancer therapies. **Western Blotting** Rabbit anti mouse c-Jun recognizes a band of approximately 36 kDa when run under reducing conditions

Storage Store at +4°C. DO NOT FREEZE.

This product should be stored undiluted. Should this product contain a precipitate we

recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #20341 available at:

https://www.bio-rad-antibodies.com/SDS/AHP2412

20341

**Regulatory** For research purposes only

### Related Products

### **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34...) FITC

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Sheep Anti Rabbit IgG (STAR35...) RPE

Sheep Anti Rabbit IgG (STAR36...) DyLight®488, DyLight®680, DyLight®800

**Recommended Useful Reagents** 

### TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M336596:181214'

#### Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint