

Datasheet: AHP2418 BATCH NUMBER 151362

Description:	RABBIT ANTI CATENIN BETA
Specificity:	CATENIN BETA
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/400 - 1/1000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Species Cross	Reacts with: Mouse, Rat	
Reactivity	N.B. Antibody reactivity and working conditions may vary between reactivity is derived from testing within our laboratories, peer-repersonal communications from the originators. Please refer to further information.	eviewed publications or
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography	
Antiserum Preparation	Antiserum to catenin beta was raised by repeated immunisation	on of rabbits with highly
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.1% Sodium Azide (NaN ₃)	

	0.2% Gelatin		
Approx. Protein Concentrations	IgG concentration 0.2 mg/ml		
Immunogen	Peptide mapping to the carboxy terminal of human catenin beta		
External Database Links	UniProt: P35222 Related reagents Entrez Gene: 1499 CTNNB1 Related reagents		
Synonyms	CTNNB		
Specificity	Rabbit anti catenin beta antibody recognizes catenin beta, also known as beta-catenin. Catenin beta is part of a complex of proteins that constitute adherens junctions (AJs). AJs are necessary for the creation and maintenance of epithelial cell layers by regulating cell growth and adhesion between cells. Catenin beta also anchors the actin cytoskeleton and may be responsible for transmitting the contact inhibition signal that causes cells to stop dividing once the epithelial sheet is complete.		
	Catenin beta binds to the product of the APC gene, which is mutated in adenomatous polyposis of the colon. Mutations in catenin beta are a cause of colorectal cancer, pilomatrixoma (PTR), medulloblastoma (MDB) and ovarian cancer. Three transcript variants encoding the same protein have been found for catenin beta (provided by RefSeq, Oct 2009).		
Western Blotting	Rabbit anti catenin beta recognizes a band of approximately 100 kDa when run under reducing conditions		
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.		

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #20341 available at:

https://www.bio-rad-antibodies.com/SDS/AHP2418

20341

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Sheep Anti Rabbit IgG (STAR35...) RPE
Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Recommended Useful Reagents

TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M361239:200210'

Printed on 23 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint