

Datasheet: AHP2459 BATCH NUMBER 168379

Description:	RABBIT ANTI DFF-45
Specificity:	DFF-45
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	50 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Paraffin	-			1/50 - 1/200
Western Blotting	•			1/500 - 1/2000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Species Cross Reactivity	Based on sequence similarity, is expected to react with: Mouse N.B. Antibody reactivity and working conditions may vary between reactivity is derived from testing within our laboratories, peerpersonal communications from the originators. Please refer to further information.	ween species. Cross reviewed publications or
Product Form	Purified IgG - liquid	
Antiserum Preparation	Antiserum to DFF-45 was raised by repeated immunization of antigen. Purified IgG was prepared from whole serum by affin	.
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.02% Sodium Azide 50% Glycerol	

Immunogen	Recombinant human DFF-45
External Database Links	UniProt: O00273 Related reagents Entrez Gene: 1676 DFFA Related reagents
Synonyms	DFF1, DFF45
Specificity	Rabbit anti DFF-45 antibody recognizes DFF, also known as DNA fragmentation factor subunit alpha, DFF1, DFFA, inhibitor of caspase-activated DNase or ICAD.
	DNA fragmentation factor (DFF) is a heterodimeric protein of 40kDa (DFF-40) and 45 kDa (DFF-45) subunits. During apoptosis caspase-3 cleaves DFF into the DFF-45 and DFF-40 fragments.
Western Blotting	Rabbit anti DFF-45 antibody detects a band of approximately 43 kDa in cell lysates and tissue lysates under reducing conditions
Storage	Store at -20°C Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10049 available at: https://www.bio-rad-antibodies.com/SDS/AHP2459 10049
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) FITC

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Sheep Anti Rabbit IgG (STAR35...) RPE

Sheep Anti Rabbit IgG (STAR36...) <u>DyLight®488, DyLight®680, DyLight®800</u>

Recommended Useful Reagents

TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

'M336799:181214'

Email: antibody_sales_de@bio-rad.com

Printed on 26 Jun 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint