# Datasheet: AHP2467 BATCH NUMBER 141427

Description:	RABBIT ANTI GBL	
Specificity:	GBL	
Format:	Purified	
Product Type:	De: Polyclonal Antibody	
Isotype:	Polyclonal IgG	
Quantity:	50 µl	

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
	Western Blotting	•			1/500 - 1/2000	
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.					
Target Species	Human					
Species Cross Reactivity	Reacts with: Mouse Based on sequence similarity, is expected to react with:Rat <b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.					
Product Form	Purified IgG - liquid					
Antiserum Preparatio	n Antiserum to GBL was ra antigen. Purified IgG was	2	•			
Buffer Solution	Phosphate buffered salin	ie				
Preservative Stabilisers	0.02% Sodium Azide 50% Glycerol					

### Immunogen Recombinant human GBL

External Database Links	UniProt: <u>Q9BVC4</u> <u>Related reagents</u> Entrez Gene: <u>64223</u> MLST8 <u>Related reagents</u>		
Synonyms	GBL, LST8		
Specificity	<b>Rabbit anti GBL antibody</b> recognizes GBL, also known as G beta-like protein, mTOR-associated protein LST8, mLST8, target of rapamycin complex subunit LST8 and TORC subunit LST8. GBL is a common subunit of both the mTOR complex 1 and the mTOR complex 2, and is necessary for activation of the mTOR kinase.		
Western Blotting	Rabbit anti GBL antibody detects a band of approximately 40 kDa in cell lysates and tissue lysates under reducing conditions		
Storage	Store at -20°C Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.		
Guarantee	12 months from date of despatch		
Health And Safety Information	Material Safety Datasheet documentation #10049 available at: https://www.bio-rad-antibodies.com/SDS/AHP2467 10049		
Regulatory	For research purposes only		

## **Related Products**

### **Recommended Secondary Antibodies**

 Sheep Anti Rabbit IgG (STAR34...)
 FITC

 Goat Anti Rabbit IgG (H/L) (STAR124...)
 HRP

 Goat Anti Rabbit IgG (Fc) (STAR121...)
 Biotin, FITC, HRP

 Sheep Anti Rabbit IgG (STAR35...)
 RPE

 Sheep Anti Rabbit IgG (STAR36...)
 DyLight®488, DyLight®680, DyLight®800

 Recommended Useful Reagents
 FITC

Worldwide

#### TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

North & South	Tel: +1 800 265 7376	Worl
America	Fax: +1 919 878 3751	
	Email: antibody_sales_	us@bio-rad.com

Tel: +44 (0)1865 852 700 **Europe** Fax: +44 (0)1865 852 739 Email: antibody\_sales\_uk@bio-rad.com Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody\_sales\_de@bio-rad.com

### Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint