

Datasheet: AHP2524

Description:	RABBIT ANTI SMAD2
Specificity:	SMAD2
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	50 μΙ

## **Product Details**

## **Applications**

**Stabilisers** 

**Immunogen** 

50% Glycerol

Synthetic human SMAD2

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/500 - 1/2000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Species Cross Reactivity	Reacts with: Rat <b>N.B.</b> Antibody reactivity and working conditions may vary betwee reactivity is derived from testing within our laboratories, peer-repersonal communications from the originators. Please refer to further information.	viewed publications or
Product Form	Purified IgG - liquid	
Antiserum Preparation	Antiserum to SMAD2 was raised by repeated immunization of antigen. Purified IgG was prepared from whole serum by affinit	- · ·
Buffer Solution	Phosphate buffered saline	
Preservative	0.02% Sodium Azide	

**External Database** 

Links

**UniProt:** 

Q15796 Related reagents

**Entrez Gene:** 

4087 SMAD2 Related reagents

**Synonyms** MADH2, MADR2

**Specificity** Rabbit anti SMAD2 antibody recognizes SMAD2, also known as mothers against

decapentaplegic homolog 2. SMAD2 is a transcription factor belonging to the

dwarfin/SMAD family. It is activated by transforming growth factor (TGF-beta) and activin

type 1 receptor kinases to modulate transcription.

Western Blotting Rabbit anti SMAD2 antibody detects a band of approximately 52 kDa in cell lysates and

tissue lysates under reducing conditions

Storage Store at -20°C

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may

denature the antibody. Should this product contain a precipitate we recommend

microcentrifugation before use.

Guarantee 12 months from date of despatch

**Health And Safety** Information

Material Safety Datasheet documentation #10049 available at:

https://www.bio-rad-antibodies.com/SDS/AHP2524

10049

Regulatory For research purposes only

## Related Products

## **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34...) **FITC** 

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Sheep Anti Rabbit IgG (STAR35...)

Sheep Anti Rabbit IgG (STAR36...) DyLight®488, DyLight®680, DyLight®800

**Recommended Useful Reagents** 

TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M338489:181217'

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint