

Datasheet: AHP2546

BATCH NUMBER 154236

Description:	RABBIT ANTI AKT1 (pThr450)
Specificity:	AKT1 (pThr450)
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	50 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	■			1/500 - 1/1000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Antiserum Preparation	Antiserum to AKT1 (pThr450) was raised by repeated immunization of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.02% Sodium Azide 50% Glycerol
Immunogen	Phospho specific-peptide corresponding to residues surrounding threonine 450 of human AKT1
External Database Links	UniProt: P31749 Related reagents

Entrez Gene:[207](#) AKT1 [Related reagents](#)

Synonyms	PKB, RAC
Specificity	Rabbit anti AKT1 (pThr450) antibody recognizes AKT1, also known as RAC-alpha serine/threonine-protein kinase, protein kinase B alpha or Proto-oncogene c-Akt, when phosphorylated at threonine 450. AKT1 is a 480 amino acid ~48 kDa protein kinase that play a key role in the PI3K-Akt signaling pathway, known to regulate cell growth, proliferation and survival. Phosphorylation of threonine 308 and serine 473 are required for full activation of AKT1. Newly synthesized Akt is suggested to require phosphorylation at threonine 450 for proper protein folding (Liao and Hung 2010).
Further Reading	1. Liao Y, Hung M-C. (2010) Physiological regulation of Akt activity and stability American Journal of Translational Research. 2 (1): 19-42.
Storage	Store at -20°C Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10049 available at: https://www.bio-rad-antibodies.com/SDS/AHP2546 10049
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) [FITC](#)
Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)
Sheep Anti Rabbit IgG (STAR35...) [RPE](#)
Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)

Recommended Useful Reagents

[TidyBlot WESTERN BLOT DETECTION REAGENT:HRP \(STAR209P\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M360493:191126'

Printed on 06 Oct 2023

