Datasheet: AHP2561 BATCH NUMBER 165743

Description:	RABBIT ANTI BRCA1 (pSer988)
Specificity:	BRCA1 (pSer988)
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	50 μl

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .								
		Yes	No	Not Determined	Suggested Dilution				
	Western Blotting	-			1/500 - 1/2000				
	Where this product	has not been to	ested for u	ise in a particular tech	nnique this does not				
		commended th	at the use	r titrates the product	ng dilutions are given as for use in their own				
Target Species	Human								
Product Form	Purified IgG - liquid								
Antiserum Preparatio	n Antiserum to BRCA highly purified antig chromatography.			by repeated immuniza					
Buffer Solution	Phosphate buffered	saline							
Preservative Stabilisers	0.02% Sodium Azid 50% Glycerol	e							
Immunogen	Phospho specific-po BRCA1	eptide correspo	onding to r	esidues surrounding s	serine 988 of human				
External Database Links	UniProt: <u>P38398</u> <u>Rela</u>	ated reagents							

Entrez Gene:

672 BRCA1 Related reagents

Synonyms	RNF53
Specificity	Rabbit anti BRCA1 (pSer988) antibody recognizes BRCA1, also known as breast cancer type 1 susceptibility protein and RING finger protein 53, when phosphorylated at serine 988. Breast cancer susceptibility genes BRCA1 and BRCA2 are associated with hereditary breast and ovarian cancers. BRCA1 is a tumor suppressor gene encoding an E3 ubiquitin protein ligase that plays a major role in DNA damage repair (Roy <i>et al.</i> 2011).
	BRCA1 is also involved in the regulation of multiple processes including transcription and cell cycle progression. BRCA1 co-localizes with Chk2 in nuclear foci, in response to DNA damage BCRA1 is phosphorylated at serine 988 by Chk2. This phosphorylation event results in the release and dispersion of BRCA1 and is suggested to be important for the function of BRCA1 in the DNA damage response (Lee <i>et al.</i> 2000).
Further Reading	 Roy, R. <i>et al.</i> (2011) BRCA1 and BRCA2: different roles in a common pathway of genome protection. <u>Nat Rev Cancer. 12 (1): 68-78.</u> Lee, J.S. <i>et al.</i> (2000) hCds1-mediated phosphorylation of BRCA1 regulates the DNA damage response. <u>Nature. 404 (6774): 201-4.</u>
Storage	Store at -20 ^o C Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10049 available at: https://www.bio-rad-antibodies.com/SDS/AHP2561 10049
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

 Sheep Anti Rabbit IgG (STAR34...)
 FITC

 Sheep Anti Rabbit IgG (STAR35...)
 RPE

 Goat Anti Rabbit IgG (Fc) (STAR121...)
 Biotin, FITC, HRP

 Sheep Anti Rabbit IgG (STAR36...)
 DyLight®488, DyLight®680, DyLight®800

 Goat Anti Rabbit IgG (H/L) (STAR124...)
 HRP

 Recommended Useful Reagents
 FITC, HRP

TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21				
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50	То			
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.comd a				
batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M390779:211004'									

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint