

Datasheet: AHP2567

Description:	RABBIT ANTI CD140a (pTyr754)
Specificity:	CD140a (pTyr754)
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	50 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/500 - 1/2000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
-----------------------	-------

Product Form	Purified IgG - liquid
---------------------	-----------------------

Antiserum Preparation Antiserum to CD140a (pTyr754) was raised by repeated immunization of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.

Buffer Solution	Phosphate buffered saline
------------------------	---------------------------

Preservative	0.02% Sodium Azide
Stabilisers	50% Glycerol

Immunogen	Phospho specific-peptide corresponding to residues surrounding tyrosine 754 of human CD140a
------------------	---

External Database Links

UniProt:
[P16234](#) [Related reagents](#)

Entrez Gene:

[5156](#) PDGFRA [Related reagents](#)

Specificity	Rabbit anti CD140a (pTyr754) recognizes the CD140a antigen also known as platelet-derived growth factor receptor alpha (PDGFRA), when phosphorylated at tyrosine 754. CD140a belongs to the tyrosine protein kinase family and plays an important role in embryonic development, the cell cycle and chemotaxis. Phosphorylation at tyrosine 754 mediates activation of specific signal-transducing molecules thus initiating signal-transduction pathways from the alpha beta receptor heterodimer, which are distinct from those initiated via homodimeric receptor complexes (Rupp et al. 1994).
Further Reading	1. Rupp, E. <i>et al.</i> (1994) A unique autophosphorylation site in the platelet-derived growth factor alpha receptor from a heterodimeric receptor complex. Eur J Biochem. 225 (1): 29-41.
Storage	Store at -20°C Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10049 available at: 10049: https://www.bio-rad-antibodies.com/uploads/MSDS/10049.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

- Sheep Anti Rabbit IgG (STAR34...) [FITC](#)
Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)
Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)
Sheep Anti Rabbit IgG (STAR35...) [RPE](#)
Sheep Anti Rabbit IgG (STAR36...) [DyLight®488](#), [DyLight®680](#), [DyLight®800](#)

Recommended Useful Reagents

[TidyBlot WESTERN BLOT DETECTION REAGENT:HRP \(STAR209P\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M336493:181214'

Printed on 21 Mar 2022

