

Datasheet: AHP2578

Description:	RABBIT ANTI C-JUN (pThr239)
Specificity:	C-JUN (pThr239)
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	50 μl

## **Product Details**

# **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/500 - 1/2000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid

**Antiserum Preparation** Antiserum to c-Jun (pThr239) was raised by repeated immunization of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.02% Sodium Azide 50% Glycerol
Immunogen	Phospho specific-peptide corresponding to residues surrounding threonine 239 of human c-Jun

**External Database** 

Links

**UniProt:** 

P05412 Related reagents

**Entrez Gene:** 

## **Specificity**

**Rabbit anti c-Jun (pThr239) antibody** recognizes proto-oncogene c-Jun, also known as V-jun avian sarcoma virus 17 oncogene homolog and p39, when phosphorylated at threonine 239.

c-Jun is a member of the Jun family of transcription factors and is a subunit of the AP-1 transcription factor. c-Jun dimerizes with c-Fos, JDP and ATF family members to form the AP-1 transcription factor. AP-1 is activated by a variety of stimuli including cytokines, stress and growth factors and plays a critical role in cellular processes ranging from proliferation to apoptosis.

c-Jun is phosphorylated at threonine 239 by GSK3 (<u>Morton *et al.* 2003</u>). c-Jun has been implicated in early tumor development, invasion and metastasis.

#### **Further Reading**

1. Morton, S. *et al.* (2003) A reinvestigation of the multisite phosphorylation of the transcription factor c-Jun. <u>EMBO J. 22 (15)</u>: 3876-86.

#### Storage

Store at -20°C

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

#### Guarantee

12 months from date of despatch

# Health And Safety Information

Material Safety Datasheet documentation #10049 available at:

10049: https://www.bio-rad-antibodies.com/uploads/MSDS/10049.pdf

#### Regulatory

For research purposes only

## Related Products

### **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34...) FITC

Sheep Anti Rabbit IgG (STAR35...) RPE

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

**Recommended Useful Reagents** 

TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M393439:211222'

© 2022 Bio-Rad Laboratories Inc | Legal | Imprint