

# Datasheet: AHP2590

Description:	RABBIT ANTI EGF R (pTyr1068)
Specificity:	EGF R (pTyr1068)
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	50 µl

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes	No	Not Determined	Suggested Dilution		
	Western Blotting	•			1/500 - 1/1000		
	criteria within Bio-Rad' how we validate our Pr	<b>s ongoin</b> g <b>ecisionA</b> l que this d	g antibod b range. V loes not n	<b>ly validation prograr</b> Where this product ha ecessarily exclude its	use in such procedures.		
Target Species	Human						
Product Form	Purified IgG - liquid						
Antiserum Preparatio	n Antiserum to EGF R (pT) highly purified antigen. F chromatography.						
Buffer Solution	Phosphate buffered salir	ie					
Preservative	0.02% Sodium Azide						
Stabilisers	50% Glycerol						
Immunogen	Phospho specific-peptide EGF R	e correspo	onding to I	residues surrounding	tyrosine 1068 of human		
External Database Links	UniProt:						

	P00533 Related reagents				
	Entrez Gene: <u>1956</u> EGFR <u>Related reagents</u>				
Synonyms	ERBB1				
Specificity	<b>Rabbit anti EGF R (pTyr1068) antibody</b> recognizes the epidermal growth factor receptor (EGF R), also known as proto-oncogene c-ErbB-1 or receptor tyrosine-protein kinase erbB-1, when phosphorylated at tyrosine 1068. EGF R is a transmembrane glycoprotein and a member of the ErbB receptor tyrosine kinase family. EGF R is a cell surface receptor for members of the epidermal growth factor family.				
	EGF R plays a role in numerous cellular processes such as cell proliferation and apoptosis through the activation of downstream signaling pathways ( <u>Scaltriti and Baselo</u> <u>2006</u> ).				
	EFG R is autophosphorylated at tyrosine 1068 upon ligand binding and receptor dimerization.				
Further Reading	1. Scaltriti, M. & Baselga, J. (2006) The epidermal growth factor receptor pathway: a model for targeted therapy. <u>Clin Cancer Res. 12 (18): 5268-72.</u>				
Storage	Store at -20°C Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.				
Guarantee	12 months from date of despatch				
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories				
Health And Safety Information	Material Safety Datasheet documentation #10049 available at: 10049: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10049.pdf</u>				
Regulatory	For research purposes only				

## Related Products

### **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34...)FITCGoat Anti Rabbit IgG (H/L) (STAR124...)HRPGoat Anti Rabbit IgG (Fc) (STAR121...)Biotin, FITC, HRPSheep Anti Rabbit IgG (STAR35...)RPESheep Anti Rabbit IgG (STAR36...)DyLight®488, DyLight®680, DyLight®800Recommended Useful Reagents

### TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Te
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fa
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Er

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M376932:210212'

#### Printed on 29 Aug 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint