

# Datasheet: AHP2640

Description:	RABBIT ANTI LCK (pTyr394)
Specificity:	LCK (pTyr394)
Format:	Purified
Product Type:	Polyclonal Antibody
lsotype:	Polyclonal IgG
Quantity:	50 µl

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .								
	Western Blotting	•	NO	Not Determined	1/500 - 1/2000				
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.								
Target Species	Human								
Species Cross Reactivity	Based on sequence similarity, is expected to react with:Mouse <b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.								
Product Form	Purified IgG - liquid								
Antiserum Preparation	n Antiserum to LCK (pTyr3 purified antigen. Purified		•	•					
Buffer Solution	Phosphate buffered salin	e							
Preservative Stabilisers	0.05% ProClin 300 50% Glycerol								
Immunogen	Phospho specific-peptide LCK	e correspo	nding to r	esidues surrounding t	yrosine 394 of human				

External Database Links	UniProt: <u>P06239</u> <u>Related reagents</u> Entrez Gene: <u>3932</u> LCK <u>Related reagents</u>
Specificity	<b>Rabbit anti LCK (pTyr394) antibody</b> recognizes LCK, also known as tyrosine-protein kinase Lck, leukocyte C-terminal Src kinase, lymphocyte cell-specific protein-tyrosine kinase or p56-LCK, when phosphorylated at tyrosine 394. LCK is a member of the Src family of tyrosine kinases. The T cell antigen receptor (TCR) depends on LCK to initiate signaling.
	LCK is autophosphorylated at tyrosine 394 in response to TCR engagement ( <u>Wright <i>et al.</i></u> <u>1994</u> ). Phosphorylation of LCK at tyrosine 394 leads to phosphorylation of CD3 and the gamma chains of the TCR as part of T cell activation.
Further Reading	1. Wright, D.D. <i>et al.</i> (1994) Oncogenic activation of the Lck protein accompanies translocation of the LCK gene in the human HSB2 T-cell leukemia. <u>Mol Cell Biol. 14 (4):</u> 2429-37.
Storage	This product is shipped at ambient temperature. Store at -20°C Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Acknowledgements	ProClin is a trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow.
Health And Safety Information	Material Safety Datasheet documentation #20376 available at: https://www.bio-rad-antibodies.com/SDS/AHP2640 20376
Regulatory	For research purposes only

## **Related Products**

#### **Recommended Secondary Antibodies**

Goat Anti Rabbit IgG (H/L) (STAR124...)HRPSheep Anti Rabbit IgG (STAR35...)RPEGoat Anti Rabbit IgG (Fc) (STAR121...)Biotin, FITC, HRPRecommended Useful Reagents

TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21	
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50	То
	Email: antibody_sales_us@t	pio-rad.com	Email: antibody_sales_uk@bic	o-rad.com	Email: antibody_sales_de@bio-ra	ad.comd a
batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets						

'M439103:250523'

#### Printed on 23 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint