

Datasheet: AHP2667 BATCH NUMBER 141624

Description:	RABBIT ANTI p53 (pSer9)		
Specificity:	p53 (pSer9)		
Format:	Purified		
Product Type:	Polyclonal Antibody		
Isotype:	Polyclonal IgG		
Quantity:	50 µl		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/500 - 1/2000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid

Antiserum Preparation Antiserum to p53 (pSer9) was raised by repeated immunization of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.02% Sodium Azide 50% Glycerol
Immunogen	Phospho specific-peptide corresponding to residues surrounding serine 9 of human p53

External Database Links

UniProt:

P04637 Related reagents

Entrez Gene:

TP53 Related reagents

Synonyms	P53
Specificity	Rabbit anti p53 (pSer9) antibody recognizes the p53 tumor suppressor protein, also known as cellular tumor antigen p53 or NY-CO-13, when phosphorylated at serine 9. The p53 protein is important in multicellular organisms, where it regulates cell cycle progression to allow DNA repair or apoptosis in the case of irreparably damaged cells and thus functions as a tumor suppressor, involved in preventing cancer (Haupt et al. 2003). Mutations in the p53 gene are found in approximately half the cases of human cancer (Joerger and Fersht 2007).
	p53 is phosphorylated at serine 9 by CK1-δ (<u>Higashimoto <i>et al.</i> 2000</u>).
Further Reading	 Haupt, S. et al. (2003) Apoptosis - the p53 network. <u>J Cell Sci. 116 (Pt 20): 4077-85.</u> Joerger, A.C. & Fersht, A.R. (2007) Structure-function-rescue: the diverse nature of common p53 cancer mutants. <u>Oncogene. 26 (15): 2226-42.</u> Higashimoto Y et al. (2000) Human p53 is phosphorylated on serines 6 and 9 in response to DNA damage-inducing agents. <u>J Biol Chem. 275 (30): 23199-203.</u>
Storage	Store at -20°C Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10049 available at: https://www.bio-rad-antibodies.com/SDS/AHP2667 10049
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) **FITC**

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Sheep Anti Rabbit IgG (STAR35...)

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Recommended Useful Reagents

TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

North & South Tel: +1 800 265 7376 America

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint