

Datasheet: AHP2683

Description:	RABBIT ANTI STAT1 (pTyr701)
Specificity:	STAT1 (pTyr701)
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	50 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/500 - 1/1000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	Based on sequence similarity, is expected to react with: Mouse, Rat N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid
Antiserum Preparation	Antiserum to STAT1 (pTyr701) was raised by repeated immunization of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.02% Sodium Azide 50% Glycerol
Immunogen	Phospho specific-peptide corresponding to residues surrounding tyrosine 701 of human STAT1

External Database**Links****UniProt:**

[P42224](#) [Related reagents](#)

Entrez Gene:

[6772](#) STAT1 [Related reagents](#)

Specificity

Rabbit anti STAT1 (pTyr701) antibody recognizes STAT1, also known as transcription factor ISGF-3 components p91/p84, when phosphorylated at tyrosine 701. STAT1 is part of the transcription factor STAT family of proteins. STAT proteins form homo- or hetero-dimers once phosphorylated by receptor associated kinases. Following dimerization STAT proteins then translocate to the cell nucleus. Phosphorylation at tyrosine 701 induces dimerization and activates the transcriptional activity of STAT1 ([Wenta et al. 2008](#)).

Further Reading

1. Wenta, N. et al. (2008) Tyrosine phosphorylation regulates the partitioning of STAT1 between different dimer conformations. [Proc Natl Acad Sci U S A. 105 \(27\): 9238-43.](#)

Storage

Store at -20°C
Storage in frost-free freezers is not recommended.
This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10049 available at:
10049: <https://www.bio-rad-antibodies.com/uploads/MSDS/10049.pdf>

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) [FITC](#)
Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)
Sheep Anti Rabbit IgG (STAR35...) [RPE](#)
Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)
Sheep Anti Rabbit IgG (STAR36...) [DyLight@488](#), [DyLight@680](#), [DyLight@800](#)

Recommended Useful Reagents

[TidyBlot WESTERN BLOT DETECTION REAGENT:HRP \(STAR209P\)](#)

North & South America

Tel: +1 800 265 7376
Fax: +1 919 878 3751
Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50
Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M379685:210401'

