# Datasheet: AHP2693 BATCH NUMBER 150060

Description:	RABBIT ANTI MAPK8/MAPK9 (pThr183/pTyr185)/MAPK10 (pThr221/pTyr223)	
Specificity:	MAPK8/MAPK9 (pThr183/pTyr185)/MAPK10 (pThr221/pTyr223)	
Format:	Purified	
Product Type:	Polyclonal Antibody	
Isotype:	Polyclonal IgG	
Quantity:	50 µl	

# **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .				
		Yes	No	Not Determined	Suggested Dilution
	Western Blotting	-			1/500 - 1/2000
	Where this product has r necessarily exclude its us a guide only. It is recomm system using appropriate	se in such nended tha	procedur at the use	es. Suggested workin or titrates the product f	g dilutions are given as
Target Species	Rat				
Species Cross Reactivity	Based on sequence similarity, is expected to react with:Human, Mouse <b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.				
Product Form	Purified IgG - liquid				
Antiserum Preparatior	n Antiserum to MAPK8/MAPK9 (pThr183/pTyr185)/MAPK10 (pThr221/pTyr223) was raised by repeated immunisation of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.				
Buffer Solution	Phosphate buffered salin	e			
Preservative Stabilisers	0.02% Sodium Azide 50% Glycerol				

Immunogen	Phospho specific-peptide corresponding to residues surrounding threonine 183/tyrosine 185 of human MAPK8/MAPK9 and to residues surrounding threonine 221/tyrosine 223 of human MAPK10.				
External Database					
Links	UniProt:				
	P45983 Related reagents				
	P45984 Related reagents				
	P53779 Related reagents				
	Entrez Gene:				
	5599 MAPK8 Related reagents				
	5601 MAPK9 Related reagents				

MAPK10 Related reagents

5602

**Synonyms** 

JNK1, JNK2, JNK3, JNK3A, PRKM10, PRKM8, PRKM9, SAPK1 Specificity Rabbit anti MAPK8/MAPK9 (pThr183/pTyr185)/MAPK10 (pThr221/pTyr223) antibody recognizes mitogen activated protein kinase (MAPK) 8 and 9, also known as c-Jun N-terminal kinases 1 and 2 or stress activated protein kinases 1 and 2, when phosphorylated on threonine 183 and tyrosine 185. This antibody also recognizes MAPK10, also known as c-Jun N-terminal kinase 3 or stress activated protein kinase 3, when phosphorylated on threonine 221 and tyrosine 223. As their name implies, MAPK8/9/10 are members of the serine/threonine MAP kinase

family, which become activated by environmental stressors. In addition, activation through phosphorylation events has been reported upon stimulation of toll-like receptors and exposure to pro-inflammatory cytokines (Guma and Firestein 2012, Bogoyevitch and Kobe 2006).

Two phosphorylation events are critical for the activation of the three MAPKs. The first is on threonine 183, or in the case of MAPK10 threonine 221, by dual specificity mitogenactivated kinase kinase 7 (MKK7) and the second is on tyrosine 185, or in the case of MAPK10 tyrosine 223, by MKK4 (Fleming 2000). The phosphorylation undertaken by MKK4 and MKK7 is counteracted by phosphatases of the MAP kinase phosphatase (MKP) family (Guma and Firestein 2012).

The three MAPKs play a critical role in mediating cell signaling cascades by phosphorylating transcription factors, such as c-Jun and p53, thereby regulating cellular processes including proliferation and apoptosis (Guma and Firestein 2012).

### **Further Reading** 1. Guma M & Firestein GS (2012) c-Jun N-Terminal Kinase in Inflammation and Rheumatic Diseases. Open Rheumatol J. 6: 220-31. 2. Bogoyevitch MA & Kobe B (2006) Uses for JNK: the many and varied substrates of the c-Jun N-terminal kinases. Microbiol Mol Biol Rev. 70 (4): 1061-95.

3. Fleming Y et al. (2000) Synergistic activation of stress-activated protein kinase 1/c-Jun N-terminal kinase (SAPK1/JNK) isoforms by mitogen-activated protein kinase kinase 4 (MKK4) and MKK7. Biochem J. 352 Pt 1: 145-54.

Storage	Store at -20 <sup>o</sup> C Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this ma denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.			
Guarantee	12 months from date of despatch			
Health And Safety Information	Material Safety Datasheet documentation #10049 available at: https://www.bio-rad-antibodies.com/SDS/AHP2693 10049			
Regulatory	For research purposes only			

## **Related Products**

## **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34...) FITC Goat Anti Rabbit IgG (H/L) (STAR124...) HRP Sheep Anti Rabbit IgG (STAR35...) <u>RPE</u> Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP **Recommended Useful Reagents** 

### TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

North & South	Tel: +1 800 265 7376
America	Fax: +1 919 878 3751
	Email: antibody_sales_us@bio-r

Worldwide rad.com

Tel: +44 (0)1865 852 700 Europe Fax: +44 (0)1865 852 739 Email: antibody\_sales\_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M361198:200210'

#### Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint