

Datasheet: AHP2726

Description:	RABBIT ANTI SRC (pTyr419)
Specificity:	SRC (pTyr419)
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	50 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/500 - 1/2000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
-----------------------	-------

Product Form	Purified IgG - liquid
---------------------	-----------------------

Antiserum Preparation	Antiserum to SRC (pTyr419) was raised by repeated immunization of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.
------------------------------	--

Buffer Solution	Phosphate buffered saline
------------------------	---------------------------

Preservative	0.02% Sodium Azide
Stabilisers	50% Glycerol

Immunogen	Phospho specific-peptide corresponding to residues surrounding tyrosine 519 of human SRC
------------------	--

External Database Links

UniProt:
[P12931](#) [Related reagents](#)

Entrez Gene:

Synonyms	SRC1
-----------------	------

Specificity	Rabbit anti SRC (pTyr419) antibody recognizes proto-oncogene tyrosine-protein kinase Src, also known as SRC1, when phosphorylated at tyrosine 419. SRC belongs to the SRC family of protein tyrosine kinases that mediate signal transduction of specific receptor pathways (Thomas and Brugge 1997). Phosphorylation residues in human SRC are commonly referred to and named according to the chicken SRC protein (Boggon and Eck 2004). Phosphorylation of SRC at tyrosine 419 (tyrosine 416 in chicken) in the activation loop is essential for its full activation (Roskoski 2005).
--------------------	---

Storage	Store at -20°C Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
----------------	--

Guarantee	12 months from date of despatch
------------------	---------------------------------

Health And Safety Information	Material Safety Datasheet documentation #10049 available at: 10049: https://www.bio-rad-antibodies.com/uploads/MSDS/10049.pdf
--------------------------------------	---

Regulatory	For research purposes only
-------------------	----------------------------

Related Products

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M354111:190624'

Printed on 22 Mar 2021