

## Datasheet: AHP2804Z

<b>Description:</b>	GOAT ANTI MOUSE CXCL16:Preservative Free
<b>Specificity:</b>	CXCL16
<b>Format:</b>	Preservative Free
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	0.1 mg

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			0.5 ug/ml - 2.0 ug/ml
Western Blotting	▪			0.1 ug/ml - 0.2 ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Mouse
<b>Product Form</b>	Purified IgG - lyophilized
<b>Reconstitution</b>	Reconstitute with 0.1 ml distilled water
<b>Antiserum Preparation</b>	Produced from sera of goats immunized with recombinant mouse CXCL16 and purified by affinity chromatography
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	None present
<b>Carrier Free</b>	Yes
<b>Endotoxin Level</b>	< 0.1 ng/µg of protein (< 1 EU/µg)
<b>Approx. Protein</b>	IgG concentration 1.0 mg/ml after reconstitution

## Concentrations

---

**Immunogen** *E. coli* derived recombinant mouse CXCL16

---

## External Database Links

### UniProt:

[Q8BSU2](#) [Related reagents](#)

### Entrez Gene:

[66102](#) Cxcl16 [Related reagents](#)

---

**Synonyms** Srpsox

---

## Specificity

**Goat anti Mouse CXCL16 antibody**, recognizes C-X-C motif Chemokine 16 (CXCL16). Unlike most chemokines, CXCL16 is a membrane bound ligand anchored through transmembrane domains. Although a soluble form of CXCL16 is generated through proteolytic cleavage. Transmembrane CXCL16 is mainly expressed on macrophages, dendritic cells, B cells and various tumor cells. In this form, it acts as an adhesion molecule though the binding of its receptor CXCR6 expressed on other cells including T cells. Transmembrane CXCL16 also binds gram positive and gram negative bacteria, playing a role in innate and adaptive immune responses ([Shimaoka et al. 2003](#)).

Soluble CXCL16 has chemoattractant activity, and elicits this response through the receptor CXCR6 and plays a role in tumor progression. CXCL16 may be used as a biomarker for the evaluation of some tumor type prognoses ([Richardson et al. 2015](#), [Shibata et al. 2020](#), [Gooden et al. 2014](#)).

---

## Storage

Prior to reconstitution store at -20°C.  
After reconstitution store at -20°C.

This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Guarantee** 12 months from date of despatch

---

**Health And Safety Information** Material Safety Datasheet documentation #10294 available at: <https://www.bio-rad-antibodies.com/SDS/AHP2804Z10294>

---

**Regulatory** For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) [FITC](#), [HRP](#)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

'M428204:240301'

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

**Printed on 01 Mar 2024**

---

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)