

Datasheet: AHP283G

Description:	RABBIT ANTI HUMAN INTERLEUKIN-7
Specificity:	IL-7
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			0.5 - 2.0 ug/ml
Immunoprecipitation			▪	
Western Blotting	▪			0.1 - 0.2ug/ml
Functional Assays	▪			0.05 - 0.08ug/ml

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - lyophilized
Reconstitution	Reconstitute with 0.1ml distilled water. For long term storage the addition of 0.09% sodium azide is recommended. NB: For functional studies do not add azide.
Antiserum Preparation	Antisera to human IL-7 were raised by repeated immunisation of rabbits with highly purified antigen. Purified IgG was prepared by affinity chromatography.
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	None present

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml after reconstitution
Immunogen	Recombinant human IL-7 (PHP046).
External Database Links	<p>UniProt: P13232 Related reagents</p> <p>Entrez Gene: 3574 IL7 Related reagents</p>
RRID	AB_323578
Specificity	<p>Rabbit anti Human Interleukin-7 antibody recognizes human interleukin-7. IL-7 is a 152 amino acid glycoprotein and pleiotropic haematopoietic growth factor, secreted by thymic, splenic and bone marrow stromal/epithelial cells, keratinocytes and follicular dendritic cells. Originally termed pre-B cell factor, due to its involvement in the development of early B cells, IL-7 has since been shown to be mitogenic for early T cells and can also co-stimulate the proliferation of mature T cells in the presence of IL-2 and Concavalin A. IL-7 signals through a transmembrane receptor consisting of the IL-7Ra chain (CD127) and common cytokine gamma chain, triggering a number of non-receptor tyrosine kinase signalling pathways.</p>
ELISA	<p>Rabbit anti Human IL-7 (purified) may be used in an indirect ELISA or as the capture reagent in a sandwich ELISA with recombinant human IL-7 as the standard and Rabbit anti Human IL-7 (biotin conjugate) as the detection reagent.</p>
References	<ol style="list-style-type: none"> 1. Lupton, S.D. <i>et al.</i> (1990) Characterization of the human and murine IL-7 genes. J Immunol. 144 (9): 3592-601. 2. Fry, T.J. & Mackall, C.L. (2002) Interleukin-7: from bench to clinic. Blood. 99 (11): 3892-904.
Storage	<p>Prior to reconstitution store at -20°C. After reconstitution store at -20°C.</p> <p>This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	<p>Material Safety Datasheet documentation #10294 available at: https://www.bio-rad-antibodies.com/SDS/AHP283G10294</p>
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) [FITC](#)
Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)
Sheep Anti Rabbit IgG (STAR35...) [RPE](#)
Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)

Recommended Useful Reagents

[TidyBlot WESTERN BLOT DETECTION REAGENT:HRP \(STAR209P\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M402122:220718'

Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)