

## Datasheet: AHP2981B

<b>Description:</b>	RABBIT ANTI DOG INTERLEUKIN-2:Biotin
<b>Specificity:</b>	IL-2
<b>Format:</b>	Biotin
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	50 µg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			■	
Immunohistology - Frozen			■	
Immunohistology - Paraffin			■	
ELISA	■			0.1ug/ml - 0.5ug/ml
Immunoprecipitation			■	
Western Blotting			■	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Dog
<b>Product Form</b>	Purified IgG conjugated to Biotin - liquid
<b>Antiserum Preparation</b>	Antisera to canine interleukin-2 were raised by repeated immunisation of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml
<b>Immunogen</b>	Recombinant canine interleukin-2
<b>External Database Links</b>	<b>UniProt:</b> <a href="#">Q29416</a> <a href="#">Related reagents</a>

**Entrez Gene:**

[403989](#) IL2 [Related reagents](#)

---

**Specificity** **Rabbit anti Dog interleukin-2 antibody** specifically recognizes canine interleukin-2 (IL-2), a 17.7 kDa type I regulatory cytokine secreted by T-cells following antigenic or mitogenic stimulation. It plays a crucial role in T-cell proliferation and immune regulation, canine IL-2 may also stimulate a range of other cell types including B cells, NK cells and monocytes.

---

**ELISA** This product may be used as a detection antibody in a sandwich ELISA together with [AHP2981](#) as the capture reagent. Recombinant dog interleukin-2 ([PDP015](#)) may be used as a standard.

---

**Storage** Store at +4°C. DO NOT FREEZE.  
This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Guarantee** 12 months from date of despatch

---

**Health And Safety Information** Material Safety Datasheet documentation #10040 available at:  
10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

---

**Regulatory** For research purposes only

---

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

'M334228:181127'

**Printed on 01 May 2020**

---

© 2020 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)