

# Datasheet: AHP2985 BATCH NUMBER 154462

Description:	RABBIT ANTI BLUE FLUORESCENT PROTEIN
Specificity:	BLUE FLUORESCENT PROTEIN
Other names:	BFP
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	50 µg

## **Product Details**

lications This product has been reported to work in the following applications. This infor						
derived from testing within our laboratories, peer-reviewed publications or person						
communications from the originators. Please refer to references indicated for furth						
nformation. For general	ndations, please visit <u>w</u>	<u>/ww.bio-</u>				
rad-antibodies.com/protocols.						
	Yes	No	Not Determined	Suggested Dilution		
Vestern Blotting	-			0.5 - 4.0 ug/ml		
Vhere this product has r	not been te	sted for	use in a particular tech	nnique this does not		
ecessarily exclude its u	se in such	procedu	res. Suggested workir	ng dilutions are given as		
guide only. It is recomm	nended tha	t the us	er titrates the product	for use in their own		
ystem using appropriate	e negative/j	oositive	controls.			
Purified IgG - liquid						
abbits with highly purifie hromatography.	d antigen.	Purified	IgG was prepared fror	n whole serum by affinity		
Phosphate buffered salin	ie					
0% Glycerol						
.5% Bovine Serum Albu	umin					
imM EDTA						
.03% Proclin <sup>TM</sup> 300						
gG concentration 0.5 mg	g/ml					
	erived from testing with ommunications from the offormation. For general ad-antibodies.com/proto Vestern Blotting Vhere this product has r ecessarily exclude its u guide only. It is recomr ystem using appropriate Purified IgG - liquid Antiserum to blue fluores abbits with highly purifie hromatography. Phosphate buffered salir 0% Glycerol .5% Bovine Serum Albu mM EDTA .03% Proclin <sup>TM</sup> 300	erived from testing within our labor ommunications from the originators of formation. For general protocol re- ad-antibodies.com/protocols. Yes Vestern Blotting Vhere this product has not been test ecessarily exclude its use in such guide only. It is recommended that ystem using appropriate negative/p Purified IgG - liquid Antiserum to blue fluorescent proteit abbits with highly purified antigen. hromatography. Phosphate buffered saline 0% Glycerol .5% Bovine Serum Albumin mM EDTA	erived from testing within our laboratories, ommunications from the originators. Pleas nformation. For general protocol recommen- ad-antibodies.com/protocols. Yes No Vestern Blotting Vhere this product has not been tested for ecessarily exclude its use in such procedu guide only. It is recommended that the us ystem using appropriate negative/positive Purified IgG - liquid Antiserum to blue fluorescent protein (BFP) abbits with highly purified antigen. Purified hromatography. Phosphate buffered saline 0% Glycerol .5% Bovine Serum Albumin mM EDTA .03% Proclin <sup>TM</sup> 300	erived from testing within our laboratories, peer-reviewed publications from the originators. Please refer to references in information. For general protocol recommendations, please visit we ad-antibodies.com/protocols.  Yes No Not Determined Vestern Blotting  Vhere this product has not been tested for use in a particular tech ecessarily exclude its use in such procedures. Suggested working guide only. It is recommended that the user titrates the product system using appropriate negative/positive controls.  Purified IgG - liquid  Antiserum to blue fluorescent protein (BFP) was raised by repeated abbits with highly purified antigen. Purified IgG was prepared from hromatography.  Phosphate buffered saline  0% Glycerol .5% Bovine Serum Albumin mM EDTA		

Specificity	<b>Rabbit anti BFP antibody</b> recognizes the blue fluorescent protein (BFP), a monomeric engineered derivate of green fluorescent protein (GFP) isolated from the jellyfish <i>Aequorea victoria</i> . BFP is a ~29 kDa protein that is optimally excited at a wavelength of 380 nm and emits light at 448 nm (Day and Davidson 2009). In multi-color and FRET (Fluorescence/Förster Resonance Energy Transfer) experiments, BFP is often used in combination with EGFP (enhanced green fluorescent protein) (Day and Davidson 2009).
Western Blotting	Rabbit anti BFP antibody is predicted to recognize a band of approximately 29 kDa on recombinant BFP. Observed band size is 29-36 kDa.
Further Reading	1. Day, R.N. & Davidson, M.W. (2009) The fluorescent protein palette: tools for cellular imaging. <u>Chem Soc Rev. 38 (10): 2887-921.</u>
Storage	Store at -20°C Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #20377 available at: https://www.bio-rad-antibodies.com/SDS/AHP2985 20377
Regulatory	For research purposes only

## **Related Products**

### **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34...)FITCGoat Anti Rabbit IgG (H/L) (STAR124...)HRPSheep Anti Rabbit IgG (STAR35...)RPEGoat Anti Rabbit IgG (Fc) (STAR121...)Biotin, FITC, HRP

#### **Recommended Useful Reagents**

RABBIT ANTI GREEN FLUORESCENT PROTEIN (AHP2984) RABBIT ANTI CYAN FLUORESCENT PROTEIN (AHP2986) RABBIT ANTI RED FLUORESCENT PROTEIN (AHP2987) RABBIT ANTI MCHERRY (AHP2326) MOUSE ANTI MCHERRY (MCA6020)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio	-rad.com	Email: antibody_sales_uk@bio-	rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M361007:200130'

Printed on 06 Oct 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint