Datasheet: AHP2992 BATCH NUMBER 163110

Description:	GOAT ANTI RABBIT INTERLEUKIN-8
Specificity:	IL-8
Other names:	CXCL-8
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is					
	derived from testing within our laboratories, peer-reviewed publications or personal					
	communications from the originators. Please refer to references indicated for further					
	information. For general	0				
	rad-antibodies.com/proto					
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry			•		
	Immunohistology - Frozen			•		
	Immunohistology - Paraffin					
	ELISA	-			1ug/ml - 5ug/ml	
	Immunoprecipitation				5 5	
	Western Blotting					
	Where this product has not been tested for use in a particular technique this does not					
	Where this product has n	ot been t	ested for	use in a particular tecl	hnique this does not	
	•			•	•	
	necessarily exclude its us	se in such	n procedu	res. Suggested workir	ng dilutions are given a	
	necessarily exclude its us a guide only. It is recomm	se in such nended th	n procedu nat the use	res. Suggested workir er titrates the product	ng dilutions are given a	
	necessarily exclude its us	se in such nended th	n procedu nat the use	res. Suggested workir er titrates the product	ng dilutions are given a	
Target Species	necessarily exclude its us a guide only. It is recomm	se in such nended th	n procedu nat the use	res. Suggested workir er titrates the product	ng dilutions are given a	
	necessarily exclude its us a guide only. It is recomn system using appropriate	se in such nended th e negative	n procedu nat the use	res. Suggested workir er titrates the product	ng dilutions are given a	
Species Cross	necessarily exclude its us a guide only. It is recomn system using appropriate Rabbit	se in such nended th negative Human	n procedu nat the use e/positive o	res. Suggested workin er titrates the product controls.	ng dilutions are given a for use in their own	
Target Species Species Cross Reactivity	necessarily exclude its us a guide only. It is recomm system using appropriate Rabbit Reacts with: Guinea Pig, N.B. Antibody reactivity a	se in such nended th negative Human and workin	n procedu nat the use e/positive o ng conditi	res. Suggested workin er titrates the product controls.	ng dilutions are given a for use in their own n species. Cross	
Species Cross	necessarily exclude its us a guide only. It is recomm system using appropriate Rabbit Reacts with: Guinea Pig, N.B. Antibody reactivity a reactivity is derived from	se in such nended th e negative Human And workin testing wi	n procedu nat the use e/positive o ng conditi ithin our la	res. Suggested workin er titrates the product controls. ons may vary between aboratories, peer-revie	ng dilutions are given a for use in their own n species. Cross ewed publications or	
Species Cross	necessarily exclude its us a guide only. It is recomm system using appropriate Rabbit Reacts with: Guinea Pig, N.B. Antibody reactivity a reactivity is derived from personal communications	se in such nended th e negative Human And workin testing wi	n procedu nat the use e/positive o ng conditi ithin our la	res. Suggested workin er titrates the product controls. ons may vary between aboratories, peer-revie	ng dilutions are given a for use in their own n species. Cross ewed publications or	
Species Cross	necessarily exclude its us a guide only. It is recomm system using appropriate Rabbit Reacts with: Guinea Pig, N.B. Antibody reactivity a reactivity is derived from	se in such nended th e negative Human And workin testing wi	n procedu nat the use e/positive o ng conditi ithin our la	res. Suggested workin er titrates the product controls. ons may vary between aboratories, peer-revie	ng dilutions are given a for use in their own n species. Cross ewed publications or	

Intiserum Preparation Antisera to rabbit interleukin-8 were raised by repeated immunisation of goats with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.

Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)	
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml	
Immunogen	Recombinant rabbit interleukin-8	
External Database Links	UniProt: P19874 Related reagents Entrez Gene: 100009129 IL8 Related reagents	
Synonyms	CXCL8	
Specificity	Goat anti Rabbit interleukin-8 antibody recognizes rabbit in known as CXCL-8. Rabbit IL-8 is an 11.4 kDa cytokine belong family. Rabbit IL-8 is a chemotactic cytokine secreted by a range of co macrophages, endothelial cells and epithelial cells in response	ing to the chemokine C-X-C ell types such as
ELISA	induces chemotaxis of neutrophils and granulocytes to sites of This product may be used as a capture antibody in a sandwick <u>AHP2992B</u> as the detection reagent. Recombinant Rabbit inter	h ELISA together with
	be used as a standard.	
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product or recommend microcentrifugation before use.	contain a precipitate we
Guarantee	12 months from date of despatch	
Health And Safety Information	Material Safety Datasheet documentation #10040 available at https://www.bio-rad-antibodies.com/SDS/AHP2992 10040	:
Regulatory	For research purposes only	

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

 North & South
 Tel: +1 800 265 7376

 America
 Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 **Europe** Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com 'M372722:200715' Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint