

## Datasheet: AHP300G

| Description:  | RABBIT ANTI HUMAN INTERLEUKIN-15 |
|---------------|----------------------------------|
| Specificity:  | IL-15                            |
| Format:       | Purified                         |
| Product Type: | Polyclonal Antibody              |
| Isotype:      | Polyclonal IgG                   |
| Quantity:     | 0.1 mg                           |
|               |                                  |

# **Product Details**

| Applications | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio- |   |    |                |                    |  |       |  |  |  |
|--------------|---|---|----|----------------|--------------------|--|-------|--|--|--|
|              | rad-antibodies.com/proto  |   |    |                |                    |  |       |  |  |  |
|              |   | Yes   | No | Not Determined | Suggested Dilution |  |       |  |  |  |
|              | Flow Cytometry  |   |    | •              |                    |  |       |  |  |  |
|              | Immunohistology - Frozen  |   |    | •              |                    |  |       |  |  |  |
|              | Immunohistology - Paraffin<br>(1)   |   |    |                |                    |  |       |  |  |  |
|              | ELISA   |   |    |                | 0.5ug/ml           |  |       |  |  |  |
|              | Immunoprecipitation   |   |    |                |                    |  |       |  |  |  |
|              | Western Blotting  | -   |    |                | 0.1 - 0.2ug/ml     |  |       |  |  |  |
|              | Functional Assays   | •   |    |                | 0.15 - 0.2ug/ml    |  |       |  |  |  |
|              | Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.                  |   |    |                |                    |  |       |  |  |  |
|              |   |   |    |                |                    | (1)This product requires antigen retrieval using heat treatment prior to staining of |       |  |  |  |
|              |   |   |    |                |                    | paraffin sections. Sodium citrate buffer pH 6.0 is recommended for this purpose.     |       |  |  |  |
|              |   |   |    |                |                    | Target Species   | Human |  |  |  |
|              | Product Form  | Purified IgG - lyophilized  |    |                |                    |  |       |  |  |  |
|              | Reconstitution  | Reconstitute with 0.1 ml distilled water. Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution. |    |                |                    |  |       |  |  |  |

Antiserum Preparation Antisera to human IL-15 were raised by repeated immunisation of rabbits with highly purified antigen. Purified IgG prepared by antigen affinity chromatography.

| Buffer Solution                   | Phosphate buffered saline   |  |  |  |  |
|-----------------------------------|---|--|--|--|--|
| Preservative<br>Stabilisers       | None present  |  |  |  |  |
| Carrier Free                      | Yes   |  |  |  |  |
| Approx. Protein<br>Concentrations | IgG concentration 1.0mg/ml after reconstitution   |  |  |  |  |
| Immunogen                         | Recombinant human IL-15.  |  |  |  |  |
| External Database<br>Links        | UniProt:<br><u>P40933</u> <u>Related reagents</u><br>Entrez Gene:<br><u>3600</u> IL15 <u>Related reagents</u>   |  |  |  |  |
| RRID                              | AB_2124584  |  |  |  |  |
| Specificity                       | <ul> <li>Rabbit anti Human Interleukin-15 antibody recognizes human IL-15 (Interleukin-15), a 14kDa immunomodulatory glycoprotein expressed by multiple tissues and cell types, which primarily stimulates T lymphocytes, but is also critical for the development and activation of natural killer cells (NK).</li> <li>IL-15 shares functional properties with IL-2 and binds with high affinity to the IL-15 receptor (IL-15R), consisting of the IL-15R alpha chain, and also the IL-2Rbeta and common gamma chains used by the IL-2 receptor. Affects of IL-15 have been linked with cells and tissues unrelated to the immune system, and increased expression of IL-15 has been demonstrated in Rheumatoid Arthritis (RA), ulcerative colitis (UC) Chron's disease (CD) and lymphoid malignancies, and also conditions affiliated with HIV and HTLV-1 infection.</li> <li>Rabbit anti Human Interleukin-15 antibody will neutralise IL-15 activity in bioassay systems.</li> </ul> |  |  |  |  |
| Instructions For Use              | For functional studies do not use Azide.  |  |  |  |  |
| References                        | <ol> <li>Kurys, G. <i>et al.</i> (2000) The long signal peptide isoform and its alternative processing direct the intracellular trafficking of interleukin-15. <u>J. Biol. Chem. 275: 30653 - 30659.</u></li> <li>Fehniger, T.A. and Caligiuri, M.A. <i>et al</i> (2001) Interleukin 15: biology and relevance to human disease. <u>BLOOD. 97: 14-32.</u></li> </ol>  |  |  |  |  |
| Storage                           | This product is shipped at ambient temperature.<br>Prior to reconstitution store at -20°C.<br>After reconstitution store at -20°C.<br>This product should be stored undiluted. Storage in frost-free freezers is not  |  |  |  |  |

|                                  | recommended. Avoid repeated freezing and thawing as this may denature the antibody.<br>Should this product contain a precipitate we recommend microcentrifugation before use. |  |  |
|----------------------------------|---|--|--|
| Guarantee                        | 12 months from date of despatch   |  |  |
| Health And Safety<br>Information | Material Safety Datasheet documentation #10294 available at:<br>https://www.bio-rad-antibodies.com/SDS/AHP300G<br>10294   |  |  |
| Regulatory                       | For research purposes only  |  |  |

### Related Products

### **Recommended Secondary Antibodies**

Goat Anti Rabbit IgG (H/L) (STAR124...)HRPSheep Anti Rabbit IgG (STAR35...)RPEGoat Anti Rabbit IgG (Fc) (STAR121...)Biotin, FITC, HRP

#### **Recommended Useful Reagents**

### ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025A) TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

| North & South | Tel: +1 800 265 7376            | Worldwide | Tel: +44 (0)1865 852 700        | Europe | Tel: +49 (0) 89 8090 95 21           |
|---------------|---------------------------------|-----------|---------------------------------|--------|--------------------------------------|
| America       | Fax: +1 919 878 3751            |           | Fax: +44 (0)1865 852 739        |        | Fax: +49 (0) 89 8090 95 50           |
|               | Email: antibody_sales_us@bio-ra | d.com     | Email: antibody_sales_uk@bio-ra | ad.com | Email: antibody_sales_de@bio-rad.com |

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M439208:250523'

#### Printed on 23 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint