

Datasheet: AHP3015

Description:	RABBIT ANTI SARS-CoV-2 SPIKE PROTEIN
Specificity:	SARS-CoV-2 SPIKE PROTEIN
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	lgG
Quantity:	0.1 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal					
	communications from the originators. Please refer to references indicated for further					
	information. For general protocol recommendations, please visit <u>www.bio-</u>					
	rad-antibodies.com/protocols.					
		Yes	No	Not Determined	Suggested Dilution	
	Immunohistology - Paraffin	-			0.2 ug/ml	
	ELISA	-			1000 ng/ml - 0.5 ng/ml	
	Western Blotting	-			1 ug/ml	
	Immunofluorescence	-			1 ug/ml	
	Where this product has n	not been te	ested for u	se in a particular tech	nnique this does not	
	necessarily exclude its us	se in such	procedure	es. Suggested workin	g dilutions are given as	
	a guide only. It is recommended that the user titrates the product for use in their own					
	system using appropriate	e negative	/positive co	ontrols.		
Target Species	Viral					
Product Form	Purified IgG - liquid					
Preparation	Rabbit polyclonal antibody purified by affinity chromatography					
Buffer Solution	Phosphate buffered salin	е				
Preservative Stabilisers	0.02% Sodium Azide (Na	aN ₃)				
Approx. Protein Concentrations	1.0 mg/ml					
Immunogen	Peptide corresponding to (COVID-19) Spike glycop		o acids nea	ar the carboxy termin	us of SARS-CoV-2	

The immunogen is located within the last 50 amino acids of SARS-CoV-2 (COVID-19) Spike protein.

known as S glycoprotein, peplomer protein and E2.Human coronaviruses are pathogens that can cause severe respiratory tract infections SARS-CoV-2 is a novel human coronavirus characterized in 2020, and causes "coronavirus disease 2019" or "COVID-19" (Xu et al. 2020). The spike glycoproteins of coronaviruses are incorporated into the viral envelope and promote entry into cells (W et al. 2020). The spike glycoprotein of SARS-CoV-2 is comprised of two subunits called S1 and S2. The S1 protein binds to a receptor on human cells, and the transmembrar unit S2 helps fuse the viral membrane with a cellular membrane (Hoffmann et al. 2020) Specifically, both SARS-CoV and SARS-CoV-2 spike proteins contain a receptor-bindid domain (RBD) that recognize the same receptor, ACE2, on human cells (Shang et al. 2020).StorageThis product is shipped at ambient temperature. It is recommended to aliquot and store		
known as S glycoprotein, peplomer protein and E2. Human coronaviruses are pathogens that can cause severe respiratory tract infections SARS-CoV-2 is a novel human coronavirus characterized in 2020, and causes "coronavirus disease 2019" or "COVID-19" (Xu et al. 2020). The spike glycoproteins of coronaviruses are incorporated into the viral envelope and promote entry into cells (W et al. 2020). The spike glycoprotein of SARS-CoV-2 is comprised of two subunits calle S1 and S2. The S1 protein binds to a receptor on human cells, and the transmembrar unit S2 helps fuse the viral membrane with a cellular membrane (Hoffmann et al. 2020) Specifically, both SARS-CoV and SARS-CoV-2 spike proteins contain a receptor-bindid domain (RBD) that recognize the same receptor, ACE2, on human cells (Shang et al. 2020). Storage This product is shipped at ambient temperature. It is recommended to aliquot and stor -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Guarantee 12 months from date of despatch Health And Safety Material Safety Datasheet documentation #10040 available at: Information https://www.bio-rad-antibodies.com/SDS/AHP3015 <th></th> <th></th>		
SARS-CoV-2 is a novel human coronavirus characterized in 2020, and causes "coronavirus disease 2019" or "COVID-19" (Xu et al. 2020). The spike glycoproteins of coronaviruses are incorporated into the viral envelope and promote entry into cells (We et al. 2020). The spike glycoprotein of SARS-CoV-2 is comprised of two subunits called S1 and S2. The S1 protein binds to a receptor on human cells, and the transmembrar unit S2 helps fuse the viral membrane with a cellular membrane (Hoffmann et al. 2020). Specifically, both SARS-CoV and SARS-CoV-2 spike proteins contain a receptor-bindidomain (RBD) that recognize the same receptor, ACE2, on human cells (Shang et al. 2020). Storage This product is shipped at ambient temperature. It is recommended to aliquot and stor -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Guarantee 12 months from date of despatch Health And Safety Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/AHP3015 10040	Specificity	Rabbit anti SARS-CoV-2 spike protein antibody recognizes spike glycoprotein, also known as S glycoprotein, peplomer protein and E2.
-20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Guarantee 12 months from date of despatch Health And Safety Information Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/AHP3015 10040		 "coronavirus disease 2019" or "COVID-19" (Xu et al. 2020). The spike glycoproteins of coronaviruses are incorporated into the viral envelope and promote entry into cells (Walls et al. 2020). The spike glycoprotein of SARS-CoV-2 is comprised of two subunits called S1 and S2. The S1 protein binds to a receptor on human cells, and the transmembrane unit S2 helps fuse the viral membrane with a cellular membrane (Hoffmann et al. 2020). Specifically, both SARS-CoV and SARS-CoV-2 spike proteins contain a receptor-binding domain (RBD) that recognize the same receptor, ACE2, on human cells (Shang et al.
Guarantee 12 months from date of despatch Health And Safety Information Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/AHP3015 10040	Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
Health And Safety Material Safety Datasheet documentation #10040 available at: Information https://www.bio-rad-antibodies.com/SDS/AHP3015 10040		
Information <u>https://www.bio-rad-antibodies.com/SDS/AHP3015</u> 10040	Guarantee	12 months from date of despatch
Regulatory For research purposes only	-	https://www.bio-rad-antibodies.com/SDS/AHP3015
	Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...)FITCGoat Anti Rabbit IgG (H/L) (STAR124...)HRPSheep Anti Rabbit IgG (STAR35...)RPEGoat Anti Rabbit IgG (Fc) (STAR121...)Biotin, FITC, HRP

North & South	Tel: +1 800 265 7376 Worldw	wide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rac	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M418906:230427'

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint