

## Datasheet: AHP3029

<b>Description:</b>	RABBIT ANTI HUMAN BAZ2A
<b>Specificity:</b>	BAZ2A
<b>Format:</b>	Purified
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	0.1 ml

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/500 - 1/1000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Product Form</b>	Purified IgG - liquid
<b>Antiserum Preparation</b>	Antiserum to human BAZ2A was raised by repeated immunization of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative</b>	0.035% Sodium Azide (NaN <sub>3</sub> )
<b>Stabilisers</b>	30% Glycerol
<b>Carrier Free</b>	Yes
<b>Immunogen</b>	A peptide within the N-terminal region of human BAZ2A

#### External Database Links

##### UniProt:

[Q9UIF9](#)

[Related reagents](#)

**Entrez Gene:**[11176](#) BAZ2A [Related reagents](#)

---

**Synonyms** KIAA0314, TIP5

---

**Specificity** **Rabbit anti Human BAZ2A antibody** recognizes bromodomain adjacent to zinc finger domain protein 2A, also known as transcription termination factor I-interacting protein 5 or hWALp3.

BAZ2A is an essential component of the NoRC (nucleolar remodeling complex) complex. This complex mediates the silencing of a fraction of rDNA by recruiting histone-modifying enzymes and DNA methyltransferases, which leads to heterochromatin formation and transcriptional silencing ([Strohner \*et al.\* 2004](#)).

---

**Storage** This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Guarantee** 12 months from date of despatch

---

**Health And Safety Information** Material Safety Datasheet documentation #10049 available at: <https://www.bio-rad-antibodies.com/SDS/AHP3029>  
10049

---

**Regulatory** For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) [FITC](#)  
Sheep Anti Rabbit IgG (STAR35...) [RPE](#)  
Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)  
Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)

**North & South America** Tel: +1 800 265 7376

Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M394860:220218'

Printed on 18 Jan 2024